

2022 Ascent Compare Specs



Highlights

Standard

Standard

Standard

| Starting Price | * | | | | | | | |
|---|---|---|---|---|---|---|--|--|
| \$32,795 | \$35,295 | \$36,755 | \$38,495 | \$40,095 | \$40,095 | \$45,945 | | |
| Up to MPG** | (hwy/city) | | | | | | | |
| 27/21 | 27/21 | 27/21 | 26/20 | 26/20 | 26/20 | 26/20 | | |
| Engine | | | | | | | | |
| 2.4-liter turbocharged SUBARU BOXER 4-cylinder | | |
| Symmetrical | Symmetrical All-Wheel Drive | | | | | | | |
| | | | | | | | | |

Standard

Standard

Standard

Standard

| Vehicle Dynar | mics Control (VE | OC) | | | | |
|-------------------|--|------------------|----------------------|------------------------|---------------------|-----------------|
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Leather-trimm | ned upholstery | | | | | |
| Not Available | Not Available | Not Available | Not Available | Standard | Standard | Standard |
| Power tilt/slid | ing panoramic n | noonroof | | | | |
| i 95% UV light re | 1 educing | | | | | |
| Not Available | Not Available | Not Available | Optional | Optional | Optional | Standard |
| 7-passenger s | seating (second- | row captain's ch | nairs) | | | |
| Not Available | Not Available | Standard | Standard | Not Available | Standard | Standard |
| 8-passenger s | seating (second- | row bench seat) | | | | |
| Standard | Standard | Not Available | Not Available | Standard | Not Available | Not Available |
| Subaru Multin | nedia System | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| EyeSight Driv | er Assist Techn | ology 3 | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| 20-inch alloy | wheels | | | | | |
| Not Available | Not Available | Not Available | Standard | Standard | Standard | Standard |
| Engine/Ch | assis | | | | | |
| Engine and D | rivetrain | | | | | |
| 2.4-liter DOHO | turbocharged e | engine | | | | |
| | direct-injection turboo alve Control System (| | aluminum-alloy 16-va | lve 4-cylinder horizon | tally opposed SUBAR | RU BOXER engine |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |

Power: 260 hp @ 5,600 rpm

Standard

Standard

Standard

Standard

Standard

Standard

Standard

| Standard Sta | Torque: 277 lb | o-ft @ 2,000 - 4,8 | 800 rpm | | | | |
|--|-----------------------------------|------------------------|------------------------|-------------------------|---|---|--|
| Lineartronic CVT (Continuously Variable Transmission) with Adaptive Control, Auto Vehicle Hold, and 8-speed manual mode with paddle hilliers Standard Stand | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Standard Sta | Lineartronic C | CVT (Continuous | sly Variable Tran | smission) | | | |
| Asximum towing capacity 2,000 lbs. 5,000 lb | i Lineartronic CV shifters | T (Continuously Varia | able Transmission) wit | th Adaptive Control, A | auto Vehicle Hold, and | d 8-speed manual mo | de with paddle |
| 2,000 lbs. 5,000 lbs. | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Stability and Traction Stubaru Symmetrical All-Wheel Drive Standard Stand | Maximum tow | ring capacity | | | | | |
| Standard Sta | 2,000 lbs. | 5,000 lbs. | 5,000 lbs. | 5,000 lbs. | 5,000 lbs. | 5,000 lbs. | 5,000 lbs. |
| Standard Sta | Stability and | Fraction | | | | | |
| C-MODE O X-MODE optimizes engine output and transmission ratio, increases all-wheel drive system engagement and uses enhanced control of the VI system to reduce individual wheelspin, providing optimal traction on low friction surfaces Standard | Subaru Symm | netrical All-Whee | el Drive | | | | |
| Example output and transmission ratio, increases all-wheel drive system engagement and uses enhanced control of the Vistem to reduce individual wheelspin, providing optimal traction on low friction surfaces Standard St | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Standard VPC electronic stability control utilizes sensors that constantly monitor wheel speeds, steering angle, brake pressure, vehicle yaw ate, and lateral g-forces. If VDC detects a difference between the driver's intended path and the one the vehicle is actually taking. VDC applies raking power and/or reduces engine torque to help correct vehicle path. Standard Sta | X-MODE | | | | | | |
| Active Torque Vectoring A-MODE also incorporates Hill Descent Control (HDC) that helps to maintain a constant vehicle speed when traveling downhill, enhancing ehicle control. Standard Standa | | | | | | ent and uses enhance | ed control of the VI |
| X-MODE also incorporates Hill Descent Control (HDC) that helps to maintain a constant vehicle speed when traveling downhill, enhancing ehicle control. Standard VPC electronic stability control utilizes sensors that constantly monitor wheel speeds, steering angle, brake pressure, vehicle yaw ate, and lateral g-forces. If VDC detects a difference between the driver's intended path and the one the vehicle is actually taking, VDC applies raking power and/or reduces engine torque to help correct vehicle path. Standard Stan | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Standard VDC electronic stability control utilizes sensors that constantly monitor wheel speeds, steering angle, brake pressure, vehicle yaw ate, and lateral g-forces. If VDC detects a difference between the driver's intended path and the one the vehicle is actually taking, VDC applies raking power and/or reduces engine torque to help correct vehicle path. Standard Sta | Hill Descent C | Control (HDC) | | | | | |
| Pehicle Dynamics Control (VDC) Standard VDC electronic stability control utilizes sensors that constantly monitor wheel speeds, steering angle, brake pressure, vehicle yaw ate, and lateral g-forces. If VDC detects a difference between the driver's intended path and the one the vehicle is actually taking, VDC applies raking power and/or reduces engine torque to help correct vehicle path. Standard Standar | i X-MODE also in vehicle control. | ncorporates Hill Desce | ent Control (HDC) tha | t helps to maintain a | constant vehicle spee | d when traveling dow | nhill, enhancing |
| Standard VDC electronic stability control utilizes sensors that constantly monitor wheel speeds, steering angle, brake pressure, vehicle yaw ate, and lateral g-forces. If VDC detects a difference between the driver's intended path and the one the vehicle is actually taking, VDC applies raking power and/or reduces engine torque to help correct vehicle path. Standard Sta | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| ate, and lateral g-forces. If VDC detects a difference between the driver's intended path and the one the vehicle is actually taking, VDC applies raking power and/or reduces engine torque to help correct vehicle path. Standard | Vehicle Dynar | mics Control (VD | OC) | | | | |
| Traction Control System (TCS) VDC also incorporates an all-wheel, all-speed traction control system, which senses a loss of traction and applies braking force to the slipping wheel or wheels as necessary to maintain vehicle motion. Standard Active Torque Vectoring Active Torque Vectoring works in tandem with VDC, applying braking power to the inside front wheel resulting in better handling, sharper turn, more neutral steering, and higher cornering limits while turning. | rate, and lateral g- | forces. If VDC detects | s a difference between | n the driver's intended | r wheel speeds, steer d path and the one the | ing angle, brake prese vehicle is actually ta | sure, vehicle yaw king, VDC applies |
| VDC also incorporates an all-wheel, all-speed traction control system, which senses a loss of traction and applies braking force to the slippin wheel or wheels as necessary to maintain vehicle motion. Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Standard Active Torque Vectoring Active Torque Vectoring works in tandem with VDC, applying braking power to the inside front wheel resulting in better handling, sharper turn n, more neutral steering, and higher cornering limits while turning. | Traction Cont | rol System (TCS | 5) | | | | |
| Active Torque Vectoring Active Torque Vectoring works in tandem with VDC, applying braking power to the inside front wheel resulting in better handling, sharper turn, more neutral steering, and higher cornering limits while turning. | | | | trol system, which ser | nses a loss of traction | and applies braking | force to the slippin |
| Active Torque Vectoring works in tandem with VDC, applying braking power to the inside front wheel resulting in better handling, sharper turn, more neutral steering, and higher cornering limits while turning. | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| n, more neutral steering, and higher cornering limits while turning. | Active Torque | • Vectoring | | | | | |
| Standard Standard Standard Standard Standard Standard Standard | | | | | he inside front wheel | resulting in better har | ndling, sharper turi |
| | Standard | Standard | Standard | Standard | Standard | Standard | Standard |

1 Trailer Stability Assist senses any unsafe yaw conditions and automatically applies braking to specific wheels to help driver maintain vehicle Standard Standard Standard Standard Standard Standard Standard **Fuel** Fuel economy** (hwy/city): 26/20 MPG Not Available Not Available Not Available Standard Standard Standard Standard Fuel economy** (hwy/city): 27/21 MPG Standard Standard Standard Not Available Not Available Not Available Not Available Fuel requirement: Unleaded gasoline (87 octane) Standard Standard Standard Standard Standard Standard Standard Fuel tank capacity: 19.3 gal. Standard Standard Standard Standard Standard Standard Standard Chassis **Electric Power Assisted Steering (EPAS)** © Electric power-assisted rack-and-pinion steering (EPAS), turning circle: 38.0 feet. Standard Standard Standard Standard Standard Standard Standard 4-wheel independent raised suspension © Front: MacPherson strut type. Stabilizer bar. Rear: double-wishbone. Stabilizer bar. Standard Standard Standard Standard Standard Standard Standard 4-wheel disc ventilated front and rear brakes ① 4-wheel disc brakes, ventilated front and rear. 4-channel, 4-sensor ABS with Electronic Brake-force Distribution (EBD), 13.1 inches/13.0 inches front/rear Standard Standard Standard Standard Standard Standard Standard **Brake Assist** ① When emergency braking is detected by how quickly the brake pedal is pressed, maximum brake pressure is immediately applied Standard Standard Standard Standard Standard Standard Standard **Brake Override System** 1 If both brake and accelerator pedals are pressed simultaneously, the system reduces the operation of the accelerator pedal to help prevent unintentional vehicle acceleration

Trailer Stability Assist (TSA)

Standard Standard Standard Standard Standard Standard

Exterior

Dimensions

| Length/Width | /Height | | | | | |
|--|--|--|--|--|--|--|
| 196.8 inches/76.0 inches/71.6 inches (with roof rails) |
| Wheelbase | | | | | | |
| 113.8 inches |
| Track (front/re | ear) | | | | | |
| 64.4 inches/64.2 inches | · | 64.4 inches/64.2 inches |
| Base curb we | ight | | | | | |
| 4,430 lbs. | 4,453lbs. | 4,449 lbs. | 4,472 lbs. | 4,515 lbs. | 4,499 lbs. | 4,603 lbs. |
| Ground cleara | ance (at base cu | rb weight) | | | | |
| 8.7 inches |
| Wheels and T | ires | | | | | |
| 18 x 7.5-inch | aluminum-alloy | wheels. Silver fi | nish | | | |
| Standard | Not Available |
| 18 x 7.5-inch | aluminum-alloy | wheels. Gray w/ | machine finish | | | |
| Not Available | Standard | Standard | Not Available | Not Available | Not Available | Not Available |
| 20 x 7.5-inch | aluminum-alloy | wheels. Dark gra | ay w/ machine fii | nish | | |
| Not Available | Not Available | Not Available | Not Available | Standard | Standard | Standard |
| 20 x 7.5-inch | aluminum-alloy | wheels. Black fii | nish | | | |
| Not Available | Not Available | Not Available | Standard | Not Available | Not Available | Not Available |

| 245/60 R18 105H all-season tires | | | | | | | | | |
|----------------------------------|--------------------|-------------------|-------------------|---------------|---------------|---------------|--|--|--|
| Standard | Standard | Standard | Not Available | Not Available | Not Available | Not Available | | | |
| 245/50 R20 102H all-season tires | | | | | | | | | |
| Not Available | Not Available | Not Available | Standard | Standard | Standard | Standard | | | |
| Temporary us | e T165/90 D18 s | pare tire | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| Features | | | | | | | | | |
| LED Steering | Responsive Hea | adlights (SRH) | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| LED fog lights | S | | | | | | | | |
| Not Available | Not Available | Not Available | Standard | Standard | Standard | Standard | | | |
| Black folding | side mirrors | | | | | | | | |
| Standard | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | | | |
| Body-color fo | lding side mirro | rs | | | | | | | |
| Not Available | Standard | Standard | Not Available | Not Available | Not Available | Not Available | | | |
| Body-color fo | lding side mirro | rs w/ integrated | turn signal | | | | | | |
| Not Available | Not Available | Not Available | Not Available | Standard | Standard | Not Available | | | |
| Crystal Black | Silica-finish fold | ding side mirrors | 5 | | | | | | |
| Not Available | Not Available | Not Available | Standard | Not Available | Not Available | Not Available | | | |
| Satin chrome | power-folding s | ide mirrors w/ in | ntegrated turn si | gnals | | | | | |
| Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | Standard | | | |
| Body-color do | oor handles | | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Not Available | | | |
| Chrome door | handles | | | | | | | | |
| Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | Standard | | | |

| i Two-speed win | dshield winers with va | riable intermittent mo | do and mist foature | | | |
|--|--|---|---|--|---|---|
| o op sou will | domeia wipero with ve | | de and mist leature | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Windshield w | iper de-icer | | | | | |
| i Windshield wip | er de-icer and heated | side mirrors (All-Wea | ther Package) | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard |
| Power tilt/slid | ling panoramic g | lass moonroof | | | | |
| i 95% UV light re | 1 educing | | | | | |
| Not Available | Not Available | Not Available | Optional | Optional | Optional | Standard |
| Rear window | wiper | | | | | |
| i) Single-speed re | ear window wiper with | fixed intermittent mod | de | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Raised roof ra | ails | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| | | | | | | |
| nterior | | | | | | |
| Dimensions | | | | | | |
| Dimensions | ont/middle/rear) | | | | | |
| Dimensions | ont/middle/rear) 41.3 inches/40.0 inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof) | 41.3 inches/40.0 inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof) | 41.3 inches/40.0 inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof) | 41.3 inches/40.0 inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof) | 41.3 inches/40.0 inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof) | 40.1 inches/38.7 inches/ 36.2 inches |
| Dimensions Headroom (from 1.3 inches/40.0 inches/36.2 inches | 41.3 inches/40.0 inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with | inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with | inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with | inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with | inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with | inches/ |
| Dimensions Headroom (from 1.3 inches/40.0 inches/36.2 inches Legroom (from 1.5 inches/40.0 inches/40 | 41.3 inches/40.0 inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof) | inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with | inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with | inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with | inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with | inches/ |
| Dimensions Headroom (from 1.3 inches/40.0 inches/36.2 inches Legroom (from 1.2 inches/38.6 inches/31.7 inches | 41.3 inches/40.0 inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof) ant/middle/rear) 42.2 inches/38.6 inches/31.7 | inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof) 42.2 inches/38.6 inches/31.7 inches | inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof) 42.2 inches/38.6 inches/31.7 | inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof) | inches/36.2 inches (40.1 inches/38.7 inches/ 36.2 inches with moonroof) 42.2 inches/38.6 inches/31.7 | inches/ 36.2 inches 42.2 inches/38.6 inches/31.7 |

Two-speed windshield wipers

| Passenger vo | lume | | | | | | | | |
|------------------------------------|---|---|---|---|---|-------------------|--|--|--|
| 153.5 cubic feet | 153.5 cubic feet (150 cubic feet with moonroof) | 150 cubic feet | | | |
| Cargo volume (behind second row) | | | | | | | | | |
| 43.5 cubic feet | 43.5 cubic feet (42.1 cubic feet with moonroof) | 42.1 cubic feet | | | |
| Maximum car | go volume (behi | nd first row) | | | | | | | |
| 75.6 cubic feet | 75.6 cubic feet (72.8 cubic feet with moonroof) | 72.8 cubic feet | | | |
| Seating and T | rim | | | | | | | | |
| 6-way manual | ly adjustable dr | iver's seat | | | | | | | |
| i 6-way manually | adjustable driver's se | eat; 4-way manually a | djustable front-passe | nger's seat | | | | | |
| Standard | Not Available | Not Available | | | |
| 8-way power a | adjustable drive | r's seat | | | | | | | |
| i 8-way power ac | djustable driver's seat | ; 4-way manually adju | stable front-passenge | er's seat | | | | | |
| Not Available | Standard | Standard | Standard | Not Available | Not Available | Not Available | | | |
| Power adjusta | able driver and f | ront-passenger | seats | | | | | | |
| i) 10-way power a passenger's seat | adjustable driver's sea | at with power adjustab | le lumbar support and | d 2-position memory f | unction; 4-way power | adjustable front- | | | |
| Not Available | Not Available | Not Available | Not Available | Standard | Standard | Standard | | | |
| Heated front s | seats (All-Weath | er Package) | | | | | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| Ventilated from | nt seats | | | | | | | | |
| Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | Standard | | | |
| Heated secon | d-row seats | | | | | | | | |
| Not Available | Not Available | Not Available | Not Available | Standard | Standard | Standard | | | |
| Heated steering | ng wheel | | | | | | | | |
| Not Available | Not Available | Not Available | Standard | Standard | Standard | Standard | | | |

| Reclining second-row 60/40-split flat-folding seatbacks | | | | | | | | | |
|---|-------------------|-------------------|---------------|---------------|---------------|---------------|--|--|--|
| Standard | Standard | Not Available | Not Available | Standard | Not Available | Not Available | | | |
| Reclining third-row 60/40-split flat-folding seatbacks | | | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| Second-row bench seat | | | | | | | | | |
| Standard | Standard | Not Available | Not Available | Standard | Not Available | Not Available | | | |
| Second-row c | aptain's chairs | | | | | | | | |
| Not Available | Not Available | Standard | Standard | Not Available | Standard | Standard | | | |
| Leather-wrap | ped steering who | eel and shifter h | andle | | | | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| Cloth upholst | ery | | | | | | | | |
| Standard | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | | | |
| Stain-resistan | t cloth upholste | ry | | | | | | | |
| Not Available | Standard | Standard | Not Available | Not Available | Not Available | Not Available | | | |
| StarTex water | repellent uphol | stery | | | | | | | |
| Not Available | Not Available | Not Available | Standard | Not Available | Not Available | Not Available | | | |
| Leather-trimm | ned upholstery | | | | | | | | |
| Not Available | Not Available | Not Available | Not Available | Standard | Standard | Standard | | | |
| Ivory carbon t | fiber-patterned a | ccent trim on da | ash and doors | | | | | | |
| Standard | Standard | Standard | Not Available | Not Available | Not Available | Not Available | | | |
| Silver carbon | fiber-patterned | accent trim on d | ash and doors | | | | | | |
| Not Available | Not Available | Not Available | Standard | Standard | Standard | Standard | | | |
| Ivory leather a | accent trim on d | ash and doors | | | | | | | |
| Not Available | Not Available | Not Available | Not Available | Standard | Standard | Standard | | | |
| Woodgrain-pa | atterned accent t | rim | | | | | | | |
| Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | Standard | | | |

| Instrumentation | on | | | | | | | |
|---|----------|----------|----------|----------|----------|----------|--|--|
| Analog instru | ments | | | | | | | |
| ① Analog speedometer, tachometer, coolant temperature, and fuel level gauges; LCD color screen displaying vehicle functions | | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| | | | | | | | | |
| Amenities | | | | | | | | |

Convenience Features

| Keyless Access with Push-Button Start and PIN-Code Access | | | | | | | | | |
|--|-----------------------|-------------------------|-----------------------|----------------------|---------------|---------------|--|--|--|
| Not Available | Optional | Optional | Standard | Standard | Standard | Standard | | | |
| Power rear gate with automatic close, height memory function and vehicle lock button | | | | | | | | | |
| Not Available | Optional | Optional | Standard | Standard | Standard | Standard | | | |
| Auto-dimming | g rearview comp | ass mirror with | HomeLink [®] | | | | | | |
| Not Available | Optional | Optional | Standard | Standard | Standard | Not Available | | | |
| Smart auto-di | mming rearview | compass mirro | r with HomeLink | (® | | | | | |
| © Smart auto-dim | ming rearview mirror | including rear-vision o | camera display | | | | | | |
| Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | Standard | | | |
| Auto-up / auto | o-down driver's a | and front passer | nger window wit | h anti-pinch pro | tection | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| 3-spoke steer | ing wheel with in | ntegrated contro | ols | | | | | | |
| i 3-spoke steerin | g wheel with audio sy | stem, Bluetooth, and | EyeSight Adptive Cru | uise Control buttons | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| Transmission | paddle shifters | | | | | | | | |
| i Lineartronic CV | T paddle shifters | | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| Dual front USB input ports and second-row USB ports | | | | | | | | | |
| Standard | Standard | Standard | Standard | Not Available | Not Available | Not Available | | | |

| Dual front US | B input ports, se | econd- and third | -row USB ports | | | |
|----------------------|--|-----------------------------------|-------------------------|-----------------------------------|-------------------------|---------------------|
| Not Available | Not Available | Not Available | Not Available | Standard | Standard | Standard |
| 120-volt AC p | ower outlet | | | | | |
| Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | Standard |
| Manually adju | ıstable tilt/telesc | oping steering o | column | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| 19 cup and bo | ottle holders | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Cargo-area ui | nderfloor storage | e tray | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Climate Contr | rol | | | | | |
| Tri-zone clima | ate control | | | | | |
| | atic digital climate cor | ntrol system with contr | rols for temperature, f | an speed, airflow dire | ction, three-zone tem | perature synchroni. |
| Standard | Not Available | Not Available | Standard | Not Available | Not Available | Not Available |
| Second-row of | climate controls | | | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard |
| Air vents for a | all three rows | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Audio and Co | mmunication | | | | | |
| MvSubaru Co | nnected Service | s 6.5-inch Multir | media Plus | | | |
| | | | | | 2 | |
| | nected Services 6.5-in | | | | | |
| | nds-free phone conne | | | ayer, HD Radio ⁻ , dua | I USB input ports, Blu | etooth audio |
| Standard | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available |
| Subaru 8.0-in | ch Multimedia P | lus System | | | | |
| applications, Sirius | n Multimedia Plus Sys sXM ^{®5} and SiriusXM [®]) Radio [®] , dual USB in | Travel Link ^{®6} , NFC t | technology, high-reso | lution LCD touchscree | en display, voice-activ | ated controls, AM/ |

Not Available Standard Standard Standard Standard Standard Not Available Subaru 8.0-inch Multimedia System with Navigation ① Subaru 8.0-inch Multimedia System with Navigation System: voice-activated 8.0-inch multi-touch gesture high-resolution GPS navigation system with Apple CarPlay[®] and Android Auto[™] integration², MySubaru Connected Services cloud-based applications, SiriusXM[®], SiriusXM[®] Traffic[®], and SiriusXM[®] Travel Link[®], NFC technology, voice-activated controls, dual USB input ports, Bluetooth[®] audio streaming and hands-Not Available Not Available Not Available Optional Optional Optional Standard 6 speakers Standard Standard Standard Standard Standard Standard Not Available Harman Kardon[®] Quantum Surround Sound audio system i Includes 792-watt-equivalent GreenEdge® amplifier and 14 speakers Not Available Not Available Not Available Not Available Optional Optional Standard 4G LTE Wi-Fi capability Standard Standard Standard Not Available Standard Standard Standard Safety **Active Features** Subaru Symmetrical All-Wheel Drive Standard Standard Standard Standard Standard Standard Standard **EyeSight Driver Assist Technology** ① Pre-collision Braking System, Pre-Collisoin Throttle Management, Lane departure and Sway Warning, Advanced Adaptive Cruise Control with Lane Centering Standard Standard Standard Standard Standard Standard Standard Blind-Spot Detection with Lane Change Assist and Rear Cross-Traffic Alert Not Available Standard Standard Standard Standard Standard Standard High Beam Assist (HBA)

Standard Standard Standard Standard Standard Standard Standard

① Available High Beam Assist works in conjunction with EyeSight to automatically switch the headlights between the high and low settings when

an oncoming vehicle is detected, enhancing safety for both you and other drivers on the road


1 Reverse Automatic Braking monitors the area behind the vehicle while reversing. If an obstacle is detected, the system can automatically apply the brakes to avoid a collision Not Available Optional Optional Standard Standard Standard Standard Vehicle Dynamics Control (VDC) (VDC) with Traction Control and Trailer Sway Assist Standard Standard Standard Standard Standard Standard Standard 4-wheel Anti-lock Braking System (ABS) (i) 4-wheel ABS with Electronic Brake-force Distribution (EBD) Standard Standard Standard Standard Standard Standard Standard **Brake Assist** Standard Standard Standard Standard Standard Standard Standard **Brake Override System** 1 If both brake and accelerator pedals are pressed simultaneously, the system reduces the operation of the accelerator pedal to help prevent unintentional vehicle acceleration Standard Standard Standard Standard Standard Standard Standard Tire Pressure Monitoring System (TPMS) Standard Standard Standard Standard Standard Standard Standard Daytime Running Lights (DRL) Standard Standard Standard Standard Standard Standard Standard 180-Degree Front-View Monitor Not Available Not Available Not Available Not Available Not Available Not Available Standard **Rear-Vision Camera** Standard Standard Standard Standard Standard Standard Standard **Passive Features MySubaru Connected Services** ① Automatic Collision Notification, SOS Emergency Assistance, Enhanced Roadside Assistance, Maintenance Notifications, Monthly Vehicle Health Report, Diagnostic Alerts, Remote Engine Start with climate control, Remote Lock/Unlock, Concierge services and more Not Available Standard Standard Standard Standard Standard Standard

Reverse Automatic Braking

| Subaru advanced frontal airbag system (SRS) | | | | | | | | | |
|--|--|-------------------------|-----------------------|--------------------------|--------------------------|----------|--|--|--|
| ① Dual-stage deplo | yment driver and fro | ont passenger front air | bags (SRS) | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| Side curtain ai | rbags (SRS) | | | | | | | | |
| Side curtain airbags with rollover sensor protecting front and rear outboard occupants (SRS) | | | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| Seat-mounted | front side airba | ngs (SRS) | | | | | | | |
| (i) Seat-mounted from | ont seat side-impact | airbags (SRS) | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| Whiplash-prote | ection front sea | its with height ar | nd tilt-adjustabl | e head restraints | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| Height adjusta | ble three-point | front seatbelts | | | | | | | |
| (i) Height-adjustable | e three-point front se | eatbelts with pretensio | ners and force limite | rs; three-point rear sea | atbelts at all seating p | ositions | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| Rear child-safe | ety locks | | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| LATCH system | | | | | | | | | |
| (i) Lower Anchors a | and Tethers for Child | lren | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| Security | | | | | | | | | |
| Keyless entry | Keyless entry system | | | | | | | | |
| i Keyless entry an | i Keyless entry and anti-theft security system with engine immobilizer | | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |

Optional

Packages



| Helps protect the while driving. | e trunk area from sar | nd, water, stains, dirt | and other messes whil | e providing a surface | that helps reduce th | e shifting of cargo |
|--|--|--|--|---|---|--|
| Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Sunshade - 2n | d Row (Right) | | | | | |
| | | | sunshade. When in us ion with all safety featu | | | |
| Optional | Optional | Optional | Optional | Standard | Standard | Standard |
| Sunshade - 2n | d Row (Left) | | | | | |
| | | | sunshade. When in us ion with all safety featu | | | |
| Optional | Optional | Optional | Optional | Standard | Standard | Standard |
| Sunshade - 3rd | d Row | | | | | |
| i For maximum su | ın protection, extend | the use of sunshade | s to the 3rd row. | | | |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Auto-Dimming | Exterior Mirror | with Approach | Light | | | |
| your doors with the towards the rear of the Auto-Dimming (| keyless entry system the vehicle. During n Interior) Mirror, creat | n, LED lights located lighttime driving, the | ming Exterior Mirrors w behind the Subaru log Exterior Auto-Dimming sperience. Dimming lev Mirror. | o in each exterior mir Mirrors will reduce h | ror will illuminate the eadlight glare by dim | ground next to and ming in unison with |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Rear Seatback | Protector - 2nd | I Row Bench | | | | |
| | | ar seatbacks when lo | owering the seats to traction. | ınsport larger cargo. I | Use in conjunction w | ith the Rear Seatback |
| Optional | Optional | Optional | Not Available | Optional | Optional | Not Available |
| Rear Seatback | Protector - 2nd | I Row Captain's | Chairs | | | |
| | | ar seatbacks when lo | owering the seats to traction. | insport larger cargo. I | Use in conjunction w | ith the Rear Seatback |
| Not Available | Optional | Optional | Optional | Optional | Optional | Optional |
| Rear Seatback | Protector - 3rd | Row Bench | | | | |
| Provides addition for optimal protection. | | rear seatbacks when | lowering the seats to t | ransport larger cargo | . Use in conjunction | with the Cargo Tray |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional |

Cargo Tray

| | | | range of essential iten designed to help keep | | | |
|---|--|---|---|--|--|--|
| | | padded, embroidere | | | and got you on the fot | ad again. The |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Crossbar Set - | Aero | | | | | |
| | | | ng a crossbar set. The de owner's manual for | | | |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Collapsible Pet | Kennel - Medi | ım | | | | |
| making it ideal for tra to-use alternative to cargo area with four | avel and for everyda cumbersome metal included adjustable | y transport. Construction carriers. Designed with straps and carabiner | nnel manufactured by ted of durable, black p ith three large integrat hooks. Includes carry ible Pet Kennel – Med | polyester fabric and a red zippered openings ving handle to easily t | steel tube frame, the for easy pet access | kennel is an easy- and secures in the |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Pet Harness - N | /ledium | | | | | |
| design, combined w that can cause injury and style. Crash-tes also designed for us improved visibility at | ith a padded vest, so y in a car collision. M ted at child safety so se outside of the veh a night. To determine | eat belt grade straps a lanufactured by Sleep eat standards and cer icle as a walking harr | ad trips together, be sand stress tested buck pypod [®] and uniquely of tified by the Center for ness with double "D" risess for your dog, means" - 28". | kles, work together to designed in signature r Pet Safety for dogs ng connection to affix | distribute and reduce Subaru blue, your do from 18 to 90 pounds a leash and reflectiv | damaging forces og will travel in safety The harness is e strips and logo for |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Pet Ramp | | | | | | |
| from jumping in and and for those with m ramp design and hig | out. The aluminum a pobility issues. The ra ph-grip ridged surfac | and plastic construction amp rests on the grou | allow him or her easy on Pet Ramp supports und with rubberized fe ng in most weather con en not in use. | s pets up to 220 lbs. a et to provide a firm gr | and is especially suite ip and help avoid shif | d for senior dogs ting. The non-slip |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Pet-friendly Pa | dded Cargo Lin | er | | | | |
| pet hair, nail scratch 60/40 seats to be up | es, accidents and sp o or down while in us | oills. Design includes se. The liner is easy to | fortable resting area for a foldout bumper proto install with durable, a urely affix to headrests | ector for additional pradjustable latches that | otection and a zipper t attach to the lower of | to allow for the cargo area mounting |
| increased stability. L | ATCH accessible, n | nachine washable, ar | nd easy to vacuum or | wipe down to keep cle | ean. | |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Seat Cover - 2n | nd Row Bench | | | | | |
| | | | cover. Machine wash | | and latch accessible | this seat cover is |

Roadside Emergency Kit

| Optional | Optional | Optional | Not Available | Optional | Optional | Not Available |
|----------------------------|----------------------------|--|----------------------------|----------------------------|----------------------------|----------------------------|
| Seat Cover - 2 | and Row Captair | ns Chairs | | | | |
| | | custom-fitted rear seat lade with a polyester f | | | and latch accessible | - this seat cover is |
| Not Available | Optional | Optional | Optional | Optional | Optional | Optional |
| Seat Cover - 3 | ord Row Bench | | | | | |
| | | eats with the custom-fd life on the go. Made | | | | LATCH accessible - |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Warranties | | | | | | |
| New Car Limit | ted Warranty | | | | | |
| 3 years or 36,000 miles*** | 3 years or 36,000 miles*** | 3 years or 36,000 miles*** | 3 years or 36,000 miles*** | 3 years or 36,000 miles*** | 3 years or 36,000 miles*** | 3 years or 36,000 miles*** |
| Powertrain Lin | mited Warranty | | | | | |
| 5 years or 60,000 miles*** | 5 years or 60,000 miles*** | 5 years or 60,000 miles*** | 5 years or 60,000 miles*** | 5 years or 60,000 miles*** | 5 years or 60,000 miles*** | 5 years or 60,000 miles*** |
| Wear Item Lin | nited Warranty | | | | | |
| Repairs to the form | ollowing items will als | o be covered under V | Vear Item Limited Wa | rranty: brake pads, wi | per blade, clutch linin | as and transmitter |

① Repairs to the following items will also be covered under Wear Item Limited Warranty: brake pads, wiper blade, clutch linings, and transmitter batteries


3 years or 3 years or

Rust Perforation Limited Warranty

5 years, unlimited mileage unlimited mileage unlimited mileage unlimited mileage unlimited mileage unlimited mileage

¹ The glass information listed represents calculated reference values and may not represent actual values determined by testing.

² Compatible smartphone and application required. The latest app version is required for best performance. Data provided by smartphone is displayed on head unit screen. Some state laws prohibit the operation of handheld electronic devices while operating a vehicle. Smartphone apps should only be launched when vehicle is safely parked. Your wireless carrier's rates may apply.





| Subaru has the utmost respect for the environment and is a proud partner of Leave No Trace. Care was taken not to harm the environment when taking this photo. |
|--|
| The various Subaru house marks, logos, trademarks, and/or names used or featured are owned, registered, and/or exclusively licensed by or from Subaru Corporation or Subaru of America, Inc. |
| iPod and iPad are registered trademarks of Apple Inc.; Brembo is a registered trademark of Freni Brembo S.p.A.; Alcantara is a registered trademark of Alcantara S.p.A and Alcantara is produced by Toray Group.; Ultrasuede® is a registered trademark of Toray Industries, Inc.; TORSEN LSD® is a registered trademark of JTEKT TORSEN North America, Inc BBS is a registered trademark of BBS Kraftfahrzeugtechnik AG.; Bluetooth is a registered trademark of Bluetooth SIG, Inc.; HomeLink® and the HomeLink® house icon are registered trademarks of Gentex Corporation.; Tom Tom is a registered trademark of TomTom International BV; Aha and Harman Kardon are a registered trademarks of Harman International Industries, Inc.; Android is a trademark of Google Inc.; HD Radio is a registered trademark of iBiquity Digital Corporation.; SiriusXM and SiriusXM NavTraffic are registered trademarks of SiriusXM Satellite Radio, Inc.; iHeart is a registered trademark of Clear Channel. |
| PLEASE REVIEW THESE IMPORTANT DISCLOSURES. Subaru of America, Inc. reserves the right to make changes at any time without notice or obligation to the information contained on this Internet site, prices, incentive programs, specifications, equipment, colors, materials, product illustrations and to change or discontinue models. All prices are based upon Manufacturer's Suggested Retail Prices ('MSRP') in U.S. dollars (unless otherwise indicated) and exclude taxes, title fees, licensing, options and destination charges unless specifically included. |
| Retailers are independent businesses and are free to set their own retail prices. All information contained at this Internet site is intended for the USA market only. Some vehicles shown with accessory or aftermarket equipment. |
| |
| |