

2022 Outback Compare Specs



Highlights

i) 95% UV light reducing

| Starting Pri | Starting Price* | | | | | | | | | | |
|---------------------------------------------|---------------------------------------------|---------------------------------------------|---------------------------------------------|-------------------------------------------------------------|-------------------------------------------------------------|-------------------------------------------------------------|-------------------------------------------------------------|--|--|--|--|
| \$27,645 | \$29,845 | \$34,295 | \$38,195 | \$35,845 | \$37,695 | \$38,695 | \$40,645 | | | | |
| Up to MPG* | * (hwy/city) | | | | | | | | | | |
| 33/26 | 33/26 | 33/26 | 33/26 | 30/23 | 26/22 | 30/23 | 30/23 | | | | |
| Engine | | | | | | | | | | | |
| 2.5-liter SUBARU BOXER 4- cylinder | 2.5-liter SUBARU BOXER 4- cylinder | 2.5-liter SUBARU BOXER 4- cylinder | 2.5-liter SUBARU BOXER 4- cylinder | 2.4-liter turbocharged SUBARU BOXER 4- cylinder | 2.4-liter turbocharged SUBARU BOXER 4- cylinder | 2.4-liter turbocharged SUBARU BOXER 4- cylinder | 2.4-liter turbocharged SUBARU BOXER 4- cylinder | | | | |
| Symmetrica | al All-Wheel Dri | ive | | | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | | |
| Leather-trin | nmed upholste | ry | | | | | | | | | |
| Not Available | Not Available | Standard | Standard | Not Available | Not Available | Standard | Standard | | | | |
| Power tilt/sl | liding moonroo | of | | | | | | | | | |
| O | 1 | | | | | | | | | | |

| Not Available | Optional | Optional | Standard | Optional | Optional | Standard | Standard |
|---------------------------------|------------------------|--------------------|----------------------|--------------------|------------------------|--------------------|-------------------|
| Not / Wallable | Ориона | Optional | Otandard | Optional | Optional | Otandard | Otaridard |
| Subaru Mult | timedia Systen | 2 1 | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| EyeSight Dr | iver Assist Ted | chnology 3 | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Dual-zone c | limate control | | | | | | |
| ① Dual-zone au air conditioning | utomatic digital clima | ate control system | with controls for te | emperature, fan sp | eed, airflow direction | ı, dual-zone locko | out, and CFC-free |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Hands-free | Power Rear Ga | ite | | | | | |
| Not Available | Optional | Standard | Standard | Standard | Standard | Standard | Standard |
| 18-inch allo | y wheels | | | | | | |
| Not Available | Not Available | Standard | Standard | Standard | Not Available | Standard | Standard |
| Engine C | hassis | | | | | | |
| Engine and | Drivetrain | | | | | | |

2.5-liter DOHC engine

① 2.5-liter DOHC direct-injection aluminum-alloy 16-valve 4-cylinder horizontally opposed SUBARU BOXER engine with Dual Active Valve Control System (DAVCS)

Standard Standard Standard Not Available Not Available Not Available Not Available Power: 182 hp @ 5,800 rpm

Standard Standard Standard Not Available Not Available Not Available Not Available

Torque: 176 lb-ft @ 4,400 rpm

Standard Standard Standard Not Available Not Available Not Available Not Available

2.4-liter turbocharged DOHC engine

① 2.4-liter DOHC direct-injection turbocharged, intercooled, aluminum-alloy 16-valve 4-cylinder horizontally opposed SUBARU BOXER engine with Dual Active Valve Control System (DAVCS)

Not Available Not Available Not Available Standard Standard Standard Standard

| Power: 260 | hp @ 5,600 rp | m | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-------------------------------------------|--------------------------------------------------------------------------|----------------------|---------------------|---------------------|----------------|--|
| Not Available | Not Available | Not Available | Not Available | Standard | Standard | Standard | Standard | |
| Torque: 277 | ' lb-ft @ 2,000 | - 4,800 rpm | | | | | | |
| Not Available | Not Available | Not Available | Not Available | Standard | Standard | Standard | Standard | |
| Lineartronic | CVT (Continu | ously Variabl | e Transmissio | 1) | | | | |
| i Lineartronic (| CVT (Continuously | Variable Transmis | sion) with Adaptive | Control and 8-spe | eed manual mode | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| Maximum to | owing capacity | 4 / | | | | | | |
| 2,700 lbs. | 2,700 lbs. | 2,700 lbs. | 2,700 lbs. | 3,500 lbs. | 3,500 lbs. | 3,500 lbs. | 3,500 lbs. | |
| Stability and | d Traction | | | | | | | |
| Subaru Sym | nmetrical All-V | /heel Drive | | | | | | |
| | | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| X-MODE | | | | | | | | |
| system to reduce with Snow/Dirt a | e individual wheels | spin, providing opti ud modes. Wildern | n ratio, increases al mal traction on low ess models include 5. | friction surfaces. C | Onyx Edition XT mo | dels include dual-f | unction X-MODE | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| Hill Descent | t Control (HDC | ;) | | | | | | |
| ① X-MODE also vehicle control. | o incorporates Hill | Descent Control (F | IDC) that helps to m | naintain a constan | t vehicle speed whe | en traveling downhi | II, enhancing | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| Vehicle Dyn | amics Contro | I (VDC) | | | | | | |
| rate, and lateral | g-forces. If VDC d | etects a difference | ensors that constan between the driver' correct vehicle path. | s intended path a | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| Traction Co | ntrol System (| TCS) | | | | | | |
| ① VDC also incorporates an all-wheel, all-speed traction control system, which senses a loss of traction and applies braking force to the slipping wheel or wheels as necessary to maintain vehicle motion. | | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | |

| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
|----------------------------|---------------------|-----------------------|---------------------|----------------------|---------------------|---------------------|-----------------|
| Fuel | | | | | | | |
| Fuel econoi | my**, 2.5-liter ı | models (hwy/c | ity): 33/26 MP | G | | | |
| Standard | Standard | Standard | Standard | Not Available | Not Available | Not Available | Not Available |
| Fuel econoi | ny**, XT mode | els (hwy/city): | 30/23 MPG | | | | |
| lot Available | Not Available | Not Available | Not Available | Standard | Not Available | Standard | Standard |
| Fuel econoi | ny**, Wilderne | ess (hwy/city): | 26/22 MPG | | | | |
| lot Available | Not Available | Not Available | Not Available | Not Available | Standard | Not Available | Not Available |
| Fuel require | ement: Unlead | ed gasoline (8 | 7 octane) | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Fuel tank ca | apacity: 18.5 g | al. | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Chassis | | | | | | | |
| Electric Pov | ver-Assisted S | Steering (EPAS | 5) | | | | |
| (i) Electric powe | er-assisted rack-an | d-pinion steering (| EPAS), turning circ | le: 36.1 feet. | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| 4-wheel ind | ependent raise | ed suspensior | ı | | | | |
| i Front: Strut-t | ype with lower L-ar | rm, stabilizer bar. F | Rear: Double-wishb | one, stabilizer bar. | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| 4-wheel dis | c ventilated fro | ont and rear b | rakes | | | | |
| 4-wheel disc front/rear | brakes, ventilated | front and rear. 4-cl | hannel, 4-sensor A | BS with Electronic | Brake-force Distrib | ution (EBD), 12.4 i | nches/11.8 inch |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| | .4 | | | | | | |
| Brake Assis | ST | | | | | | |

Active Torque Vectoring

Brake Override System

① If both brake and accelerator pedals are pressed simultaneously, the system reduces the operation of the accelerator pedal to help prevent unintentional vehicle acceleration.

Standard Standard Standard Standard Standard Standard Standard

Auto Vehicle Hold (AVH)

① Auto Vehicle Hold (AVH) helps to reduce driver fatigue by holding the vehicle in place when the vehicle is stopped, after the brake pedal has been released. Utilizing VDC and the Electronic Parking Brake, AVH can hold the vehicle stationary on level, decline or incline surfaces.

Standard Standard Standard Standard Standard Standard Standard Standard

Exterior

Dimensions

Standard

Standard

Not Available

Not Available

| Length/Widt | th/Height | | | | | | |
|--------------------------------------------------------------------|--------------------------------------------------------------------|--------------------------------------------------------------------|--------------------------------------------------------------------|--------------------------------------------------------------------|--------------------------------------------------------------------|--------------------------------------------------------------------|--------------------------------------------------------------------|
| 191.3 inches/73.0 inches/66.1 inches (with roof rails) | 191.3 inches/74.6 inches/66.9 inches (with roof rails) | 191.3 inches/73.0 inches/66.1 inches (with roof rails) | 191.3 inches/73.0 inches/66.1 inches (with roof rails) |
| Wheelbase | | | | | | | |
| 108.1 inches |
| Track (front | /rear) | | | | | | |
| 61.8 inches/62.8 inches | 61.8 inches/62.8 inches | 61.8 inches/62.8 inches | 61.8 inches/62.8 inches | 61.8 inches/62.8 inches | 62.0 inches/63.0 inches | 61.8 inches/62.8 inches | 61.8 inches/62.8 inches |
| Base curb w | veight | | | | | | |
| 3,637 lbs. | 3,657 lbs. | 3,730 lbs. | 3,772 lbs. | 3,885 lbs. | 3,896 lbs. | 3,926 lbs. | 3,937 lbs. |
| Ground clea | arance (at bas | e curb weight) | | | | | |
| 8.7 inches | 9.5 inches | 8.7 inches | 8.7 inches |
| Wheels and | Tires | | | | | | |
| 17 x 7.0-incl | h aluminum-al | lloy wheels, bl | ack w/ machin | e finish | | | |

Not Available

Not Available

Not Available

Not Available

| 17 x 7.0-inch aluminum-alloy wheels, black w/ matte black finish | | | | | | | | | | |
|------------------------------------------------------------------|------------------|----------------|---------------|---------------|---------------|---------------|----------------|--|--|--|
| Not Available | Not Available | Not Available | Not Available | Not Available | Standard | Not Available | Not Available | | | |
| 18 x 7.0-inc | h aluminum-al | loy wheels, bl | ack finish | | | | | | | |
| Not Available | Not Available | Not Available | Not Available | Standard | Not Available | Not Available | Not Available | | | |
| 18 x 7.0-inc | h aluminum-al | loy wheels, bl | ack w/ machin | e finish | | | | | | |
| Not Available | Not Available | Standard | Standard | Not Available | Not Available | Standard | Standard | | | |
| 225/65 R17 | 102H all-seasc | on tires | | | | | | | | |
| Standard | Standard | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | | | |
| 225/65 R17 | 102T all-terraiı | n tires | | | | | | | | |
| Not Available | Not Available | Not Available | Not Available | Not Available | Standard | Not Available | Not Available | | | |
| 225/60 R18 | 100H all-seasc | on tires | | | | | | | | |
| Not Available | Not Available | Standard | Standard | Standard | Not Available | Standard | Standard | | | |
| Temporary | use T155/80 D | 17 spare tire | | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Not Available | Standard | Standard | | | |
| Full-size sp | are tire | | | | | | | | | |
| Not Available | Not Available | Not Available | Not Available | Standard | Standard | Not Available | Not Available | | | |
| Features | | | | | | | | | | |
| LED Steerin | g Responsive | Headlights (S | SRH) | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| LED fog ligh | nts | | | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Not Available | Standard | Standard | | | |
| LED fog ligh | nts (hexagona | l style) | | | | | | | | |
| | | | | | | | NI-4 A II-I-I- | | | |
| Not Available | Not Available | Not Available | Not Available | Not Available | Standard | Not Available | Not Available | | | |
| | Not Available | | Not Available | Not Available | Standard | Not Available | Not Available | | | |

| Crystal Black Silica-finish folding side mirrors with integrated turn signals | | | | | | | | | |
|-------------------------------------------------------------------------------|-----------------------|-----------------------|---------------------|---------------------|--------------------|---------------|---------------|--|--|
| Not Available | Not Available | Not Available | Not Available | Standard | Not Available | Not Available | Not Available | | |
| Black-finish | folding side r | mirrors with in | tegrated turn | signals | | | | | |
| Not Available | Not Available | Not Available | Not Available | Not Available | Standard | Not Available | Not Available | | |
| Body-color | folding side m | nirrors w/ integ | rated turn sig | nals | | | | | |
| Not Available | Standard | Standard | Not Available | Not Available | Not Available | Standard | Not Available | | |
| Satin chrom | e-finish powe | r-folding side | mirrors w/ inte | egrated turn s | ignals | | | | |
| Not Available | Not Available | Not Available | Standard | Not Available | Not Available | Not Available | Standard | | |
| Body-color | door handles | | | | | | | | |
| Standard | Standard | Standard | Not Available | Standard | Not Available | Standard | Not Available | | |
| Body-color | door handles | w/ chrome ins | ert | | | | | | |
| Not Available | Not Available | Not Available | Standard | Not Available | Not Available | Not Available | Standard | | |
| Two-speed | windshield wij | pers with varia | able-intermitte | nt mode and r | nist feature | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Single-spee | d rear window | wiper with fix | ced-intermitter | nt mode | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Windshield | wiper and rea | r wiper de-icer | 'S | | | | | | |
| ⁽ⁱ⁾ Windshield w | viper de-icer, rear w | viper de-icer, and h | eated side mirrors | (All-Weather Pack | age) | | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Power tilt/sl | iding glass mo | oonroof | | | | | | | |
| i 95% UV light | reducing | | | | | | | | |
| Not Available | Optional | Optional | Standard | Optional | Optional | Standard | Standard | | |
| Rear window | w wiper | | | | | | | | |
| i Single-speed | I rear window wiper | r with fixed intermit | tent mode | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Raised roof | rails | | | | | | | | |
| i Roof rails wit | h integrated and re | etractable cross ba | rs (150 lbs. maximu | um capacity) and ir | ntegrated tie-down | points. | | | |

| Raised roof | rails | | | | | | |
|--------------------------------------------|-----------------------------------------------------------------|-----------------------------------------------------------------|----------------------------------------|-----------------------------------------------------------------|----------------------------------------------------------|----------------------------------------|--------------------------------------|
| Roof rails wit capacity) | h integrated tie-do | wn points and Ano | dized Copper-finish | accents (200 lbs. | dynamic maximun | n capacity, 700 lbs. | static maximim |
| Not Available | Not Available | Not Available | Not Available | Not Available | Standard | Not Available | Not Available |
| nterior | | | | | | | |
| Dimensions | 1 | | | | | | |
| Headroom (| front/rear) | | | | | | |
| 40.1 inches/39.1 inches | 40.1 inches/39.1 inches (37.7 inches/39.1 inches with moonroof) | 40.1 inches/39.1 inches (37.7 inches/39.1 inches with moonroof) | 37.7 inches/39.1 inches | 40.1 inches/39.1 inches (37.7 inches/39.1 inches with moonroof) | 40.1 inches/39.1 inches/39.1 inches with moonroof) | 37.7 inches/39.1 inches | 37.7 inches/39.1 inches |
| Legroom (fr | ont/rear) | | | | | | |
| 42.8 inches/39.5 inches | 42.8 inches/39.5 inches | 42.8 inches/39.5 inches | 42.8 inches/39.5 inches | 42.8 inches/39.5 inches | 42.8 inches/39.5 inches | 42.8 inches/39.5 inches | 42.8 inches/39.5 inches |
| Shoulder ro | om (front/rear |) | | | | | |
| 58.1 inches/57.4 inches | 58.1 inches/57.4 inches | 58.1 inches/57.4 inches | 58.1 inches/57.4 inches | 58.1 inches/57.4 inches | 58.1 inches/57.4 inches | 58.1 inches/57.4 inches | 58.1 inches/57.4 inches |
| Passenger v | volume | | | | | | |
| 09 cubic feet | 109 cubic feet (106.5 cubic feet with moonroof) | 109 cubic feet (106.5 cubic feet with moonroof) | 106.5 cubic feet | 109 cubic feet (106.5 cubic feet with moonroof) | 109 cubic feet (106.5 cubic feet with moonroof) | 106.5 cubic feet | 106.5 cubic fe |
| Cargo volur | ne | | | | | | |
| 2.5 cubic feet | 32.5 cubic feet | 32.5 cubic feet | 32.5 cubic feet | 32.5 cubic feet | 32.5 cubic feet | 32.5 cubic feet | 32.5 cubic fe |
| Maximum ca | argo volume | | | | | | |
| 75.7 cubic eet with rear eat lowered | 75.7 cubic feet with rear seat lowered | 75.7 cubic feet with rear seat lowered | 75.7 cubic feet with rear seat lowered | 75.7 cubic feet with rear seat lowered | 75.7 cubic feet with rear seat lowered | 75.7 cubic feet with rear seat lowered | 75.7 cubic feet with rea seat lowere |

Standard

Standard

Standard

Standard

Standard

Not Available

Standard

Standard

| Seating and | Trim | | | | | | |
|----------------|-----------------------|---------------------|---------------------|--------------------|----------------------|--------------------|---------------|
| Manually ad | justable front | seats | | | | | |
| i 6-way manua | ally adjustable drive | er's seat; 4-way ma | nually adjustable f | ront-passenger's s | eat | | |
| Standard | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available |
| Power adjus | stable driver's | seat, manuall | y adjustable fr | ront passenge | r seat | | |
| i 10-way powe | er adjustable driver | 's seat with power | adjustable lumbar | support; 4-way mai | nually adjustable fr | ont-passenger's se | at |
| Not Available | Standard | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available |
| Power adjus | stable front se | ats | | | | | |
| i) 10-way powe | er adjustable driver | 's seat with power | adjustable lumbar | support; 8-way pov | ver adjustable front | -passenger's seat | |
| Not Available | Not Available | Standard | Standard | Standard | Standard | Standard | Standard |
| Heated fron | t seats (All-We | eather Packag | e) | | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Ventilated fr | ont seats | | | | | | |
| Not Available | Not Available | Not Available | Standard | Not Available | Not Available | Not Available | Standard |
| Heated rear | outboard sea | ts | | | | | |
| Not Available | Not Available | Standard | Standard | Standard | Standard | Standard | Standard |
| Heated stee | ring wheel | | | | | | |
| Not Available | Not Available | Optional | Standard | Not Available | Not Available | Standard | Standard |
| Reclining 60 |)/40-split flat-f | olding rear se | atbacks | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Leather-wra | pped steering | wheel and sh | ifter handle | | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Cloth uphol | stery | | | | | | |
| Standard | Standard | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available |
| StarTex wat | er-repellent u | pholstery | | | | | |

Not Available

Not Available

Not Available

Not Available

Standard

Standard

Not Available

Not Available

| Leather-trin | nmed upholste | ery | | | | | |
|----------------------------|---------------------------|---------------------|----------------------|--------------------|----------------------|---------------------|---------------|
| Not Available | Not Available | Standard | Not Available | Not Available | Not Available | Standard | Not Available |
| Nappa leath | ner-trimmed up | holstery | | | | | |
| Not Available | Not Available | Not Available | Standard | Not Available | Not Available | Not Available | Standard |
| Instrumenta | ation | | | | | | |
| Analog inst ① Analog spee | ruments dometer, tachomet | er, coolant tempera | ature, and fuel leve | l gauges; LCD colo | or screen displayinç | g vehicle functions | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Amenitie | s | | | | | | |
| Convenienc | e Features | | | | | | |

| Keyless Acc | cess with Push | -Button Start | and PIN-Code | e Access | | | |
|---------------|-------------------|---------------|-----------------|------------------|-------------------|---------------|----------|
| Not Available | Optional | Standard | Standard | Standard | Standard | Standard | Standard |
| Hands-free | Power Rear Ga | te with auton | natic close, he | eight memory f | unction and ve | hicle lock bu | tton |
| Not Available | Optional | Standard | Standard | Standard | Standard | Standard | Standard |
| 2-position d | lriver's seat and | d power mirro | or memory | | | | |
| Not Available | Not Available | Standard | Standard | Not Available | Not Available | Standard | Standard |
| Electronic p | oarking brake | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Auto-on/off | wiper-linked he | eadlights | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Auto-dimmi | ng rear view co | ompass mirro | or with HomeL | ink [®] | | | |
| Not Available | Not Available | Standard | Standard | Standard | Standard | Standard | Standard |
| Auto-up / au | uto-down drive | r's and front | passenger wir | ndow with anti- | -pinch protection | on | |

Standard

Standard

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

| Auto-up / au | ıto-down windd | ows in all pos | itions with ant | ti-pinch protec | tion | | |
|------------------|-----------------------|--------------------|---------------------|---------------------|----------|----------|----------|
| Not Available | Not Available | Standard | Standard | Standard | Standard | Standard | Standard |
| Advanced A | daptive Cruise | Control 5 | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| 3-spoke stee | ering wheel wit | h integrated | controls | | | | |
| i) 3-spoke stee | ring wheel with audi | o system, Bluetoo | oth, and Adaptive C | ruise Control butto | ons | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Manually ad | justable tilt/tel | escoping stee | ering column | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Transmissio | on paddle shifte | ers | | | | | |
| i Lineartronic (| CVT paddle shifters | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Dual front U | SB input ports | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Dual rear US | SB charging po | orts | | | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Eight cup a | nd bottle holde | rs | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Overhead co | onsole | | | | | | |
| i Overhead co | nsole with dual map | lights and sungla | sses storage | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Sun visors | with illuminated | d vanity mirro | ors | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Center cons | sole | | | | | | |
| i Center consc | ole with enclosed sto | orage box with lid | and storage tray | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |

| Retractable/r | removable ca | rgo-area cove | | | | | | |
|-------------------------------------------------------|----------------------|----------------------|--------------------------------|----------------------------------------------|----------------------------------------------------------------|--------------------------------|---------------|--|
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| Cargo-area grocery bag hooks and cargo tie-down hooks | | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| Cargo-area ι | ınderfloor sto | rage | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| Removable of | cargo-area tra | у | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| Cargo area r | ear seatback | release levers | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| Climate Con | trol | | | | | | | |
| Automatic cl | imate control | | | | | | | |
| i Automatic digi | ital climate control | system with voice- | -activated controls | | | | | |
| Standard | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | |
| Dual-zone cl | imate control | | | | | | | |
| i Dual-zone aut | tomatic digital clim | ate control system | with voice-activate | ed controls | | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| Audio and C | ommunicatio | n | | | | | | |
| MySubaru C | onnected Ser | vices Dual 7.0 | -inch Multimed | dia | | | | |
| MySubaru Conne | ected Services clo | ud-based application | ons, SiriusXM ^{®6} ar | nd SiriusXM [®] Trave | uch gesture displayel Link ^{®7} , AM/FM s | tereo, HD Radio [®] , | | |
| Standard | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | |
| Subaru 11.6- | inch Multime | dia Plus Syste | m | | | | | |
| Connected Servi | ces cloud-based a | applications, Sirius | KM ^{®6} and SiriusXM | M [®] Travel Link ^{®7} , N | display, Apple Car IFC technology, AN tivity, and 3.5-mm | //FM stereo, HD R | | |
| Not Available | Standard | Standard | Not Available | Standard | Standard | Not Available | Not Available | |

| with Apple CarF | Play [®] Android Auto | integration , Mys | Subaru Connected | d 8.0-inch multi-tou Services cloud-ba dual USB input por | sed applications, S | iriusXM ^{®6} , SiriusX | M [®] Traffic [®] , and |
|-----------------|--------------------------------|--------------------------------|-----------------------|-----------------------------------------------------------------|---------------------|---------------------------------|-------------------------------------------|
| Not Available | Optional | Optional | Standard | Optional | Optional | Standard | Standard |
| CD player | | | | | | | |
| Not Available | Not Available | Not Available | Standard | Not Available | Not Available | Optional | Standard |
| 4 speakers | | | | | | | |
| Standard | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available |
| 6 speakers | | | | | | | |
| Not Available | Standard | Not Available | Not Available | Standard | Standard | Not Available | Not Available |
| Harman Kar | don premium | audio system | | | | | |
| i Includes 576 | -watt-equivalent G | reenEdge [®] amplifie | er and 12 speakers | 3 | | | |
| Not Available | Not Available | Standard | Standard | Not Available | Not Available | Standard | Standard |
| 4G LTE Wi-l | Fi capability ⁸ | | | | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Safety | | | | | | | |
| Active Feat | ures | | | | | | |
| Subaru Sym | nmetrical All-V | Wheel Drive | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| EyeSight Dr | river Assist Te | chnology ³ | | | | | |
| i Advanced Ad | daptive Cruise Con | trol w/ Lane Center | ring, Pre-collision E | Braking, Lane Depa | arture and Sway Wa | arning, and Lane K | eep Assist |
| Ctondord | Otomolous! | Chaire de uni | Otomolous! | Otomolous! | Chaire de uni | Chaire de uni | Otom don't |

Subaru 11.6-inch Multimedia System with Navigation

Standard

Standard

High Beam Assist (HBA)

Standard

① Available High Beam Assist works in conjunction with EyeSight to automatically switch the headlights between the high and low settings when an oncoming vehicle is detected, enhancing safety for both you and other drivers on the road.

Standard

Standard

Standard

Standard

Standard

Standard Standard Standard Standard Standard Standard Standard

| DriverFocus | S Distraction M | litigation Syste | 5 em | | | | | | |
|---------------------------------------------------------------------------|---------------------|-----------------------|-------------------|------------------------|----------------------|----------------------|-------------------|--|--|
| Not Available | Not Available | Optional | Standard | Not Available | Not Available | Standard | Standard | | |
| Blind-Spot Detection with Lane Change Assist and Rear Cross-Traffic Alert | | | | | | | | | |
| Not Available | Optional | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Reverse Automatic Braking | | | | | | | | | |
| i Reverse Auto | | nitors the area behir | nd the vehicle wh | ile reversing. If an o | obstacle is detected | d, the system can au | tomatically apply | | |
| Not Available | Not Available | Standard | Standard | Optional | Optional | Standard | Standard | | |
| Vehicle Dyn | amics Contro | I (VDC) | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| 4-wheel Ant | i-lock Braking | System (ABS) | | | | | | | |
| i 4-wheel ABS | with Electronic Bra | ake-force Distributio | n (EBD) | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Brake Assis | t | | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Brake Overr | ride System | | | | | | | | |
| | and accelerator pe | edals are pressed sir | multaneously, the | e system reduces th | ne operation of the | accelerator pedal to | help prevent | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Traction Co | ntrol System (| (TCS) | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Tire Pressu | re Monitoring | System (TPMS) | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| LED Daytim | e Running Lig | hts (DRL) | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| 180-Degree | Front-View Mo | onitor | | | | | | | |
| Not Available | Not Available | Not Available | Standard | Standard | Standard | Not Available | Standard | | |

| Rear-Vision | Camera | | | | | | |
|-------------------|----------------------|-----------------------|---------------------|----------------------|-------------------------------------------|-------------------------------------------|----------------|
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Passive Fea | tures | | | | | | |
| MySubaru C | onnected Ser | 11 vices | | | | | |
| | | | | | | | |
| | | | | | stance, Maintenand Jnlock, Concierge s | ce Notifications, Mo services and more | onthly Vehicle |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Subaru adva | anced frontal a | airbag system | (SRS) ¹² | | | | |
| i Dual-stage de | eployment driver a | nd front passenger | front airbags (SRS | 5) | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Side curtain | airbags (SRS |)12 | | | | | |
| i Side curtain a | airbags with rollove | er sensor protecting | front and rear out | board occupants (S | SRS) | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Seat-mounte | ed front side i | mpact (SRS) | | | | | |
| i Seat-mounted | d front seat side pe | elvis / torso airbags | (SRS) | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Front passe | nger seat cus | hion airbag (S | RS) ¹² | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Driver's kne | e airbag (SRS |)) | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Whiplash-re | ducing front s | seats with heig | ht and tilt-adj | ustable head r | estraints | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Rear height | adjustable he | ad restraints | | | | | |
| i Three individu | ual rear height-adji | ustable head restra | ints | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Height adjus | stable three-po | oint front seat | belts | | | | |
| (i) Height-adjust | able three-point fro | ont seatbelts with p | retensioners and fo | orce limiters; three | -point rear seatbelts | s at all seating posi | tions |

| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
|---------------------------------------|---------------------------------|-------------------------------|----------------------|-------------------|----------|----------|----------|
| Rear child-s | afety locks | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| LATCH syst | tem | | | | | | |
| i Lower Ancho | ors and Tethers for | Children | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Security | | | | | | | |
| | | | | | | | |
| Keyless ent | ry system | | | | | | |
| Keyless ent | | release and answe | er-back electronic | chirp | | | |
| Keyless ent | | release and answe Standard | er-back electronic o | chirp Standard | Standard | Standard | Standard |
| Keyless entry Standard | y system with trunk | Standard | | | Standard | Standard | Standard |
| Keyless entry Standard Anti-theft se | y system with trunk Standard | Standard | | | Standard | Standard | Standard |

Optional

Packages

Blind-Spot Detection with Lane Change Assist and Rear Cross-Traffic Alert • Keyless Access with Push-Button Start and PIN-Code Access • Hands-free Power Rear Gate

① Blind-Spot Detection with Lane Change Assist and Rear Cross-Traffic Alert ; • Keyless Access with Push-Button Start and PIN-Code Access; Hands-free Power Rear Gate with height memory function and lock switch

Not Available Optional Not Available Not Available Not Available Not Available Not Available Not Available

Blind-Spot Detection with Lane Change Assist and Rear Cross-Traffic Alert • Keyless Access with Push-Button Start and PIN-Code Access • Hands-free Power Rear Gate • Power Moonroof • Subaru 11.6-inch Multimedia System with Navigation

① Blind-Spot Detection with Lane Change Assist and Rear Cross-Traffic Alert ; Keyless Access with Push-Button Start and PIN-Code Access; Hands-free Power Rear Gate with height memory function and lock switch; Power tilt/sliding-glass moonroof; Subaru 11.6-inch Multimedia System with Navigation: voice-activated 8.0-inch multi-touch gesture high-resolution GPS navigation system with Apple CarPlay[®] Android Auto integration , MySubaru Connected Services cloud-based applications, SiriusXM[®] , SiriusXM[®] Traffic[®], and SiriusXM[®] Travel Link[®] , NFC technology, AM/FM stereo, HD Radio[®], dual USB input ports, Bluetooth[®] audio streaming and hands-free phone and text messaging connectivity, and 3.5-mm auxiliary jack

Not Available Optional Not Available Not Available Not Available Not Available Not Available Not Available

DriverFocus Distraction Mitigation System ① Power tilt/sliding-glass moonroof; Heated steering wheel; Subaru 11.6-inch Multimedia System with Navigation: voice-activated 8.0-inch multitouch gesture high-resolution GPS navigation system with Apple CarPlay® Android Auto ™ integration , MySubaru Connected Services cloudbased applications, SiriusXM[®], SiriusXM[®] Traffic[®], and SiriusXM[®] Travel Link[®], NFC technology, AM/FM stereo, HD Radio[®], dual USB input ports, Bluetooth[®] audio streaming and hands-free phone and text messaging connectivity, and 3.5-mm auxiliary jack; DriverFocus Distraction Mitigation System Not Available Not Available Optional Not Available Not Available Not Available Not Available Not Available Power Moonroof • Subaru 11.6-inch Multimedia System with Navigation • Reverse Automatic Braking ① Power tilt/sliding-glass moonroof; Subaru 11.6-inch Multimedia System with Navigation: voice-activated 8.0-inch multi-touch gesture highresolution GPS navigation system with Apple CarPlay® Android Auto TM integration, MySubaru Connected Services cloud-based applications, SiriusXM[®], SiriusXM[®] Traffic[®], and SiriusXM[®] Travel Link[®], NFC technology, AM/FM stereo, HD Radio[®], dual USB input ports, Bluetooth[®] audio streaming and hands-free phone and text messaging connectivity, and 3.5-mm auxiliary jack; Reverse Automatic Braking Not Available Not Available Not Available Not Available Optional Optional Not Available Not Available Accessories Wireless Charger ① Conveniently charge your phone without the hassle of tangled wires. The Wireless Charger is a Qi Certified Device with Intelligent Charging Profiles, cell phone battery protection, temperature control technology and short circuit safe guards. Compatible with all Qi enabled devices. Not Available Optional Optional Optional Optional Optional Optional Optional Auto-Dimming Mirror with Compass and HomeLink® ① This upgraded auto-dimming mirror detects glare and darkens automatically to protect your vision, while featuring an 8-point digital compass. Three backlit HomeLink® buttons can be programmed to operate most garage doors, security gates, home lighting and more. Can also provide you with the last status of your garage door (open or closed) if programmed to a compatible opener featuring two-way communication. Optional Optional Standard Standard Standard Standard Standard Standard Cargo Net ① Neatly holds cargo and prevents it from sliding while the vehicle is in motion. The Cargo Net can be used two ways: anchor it to the sides of the cargo area to help prevent shifting from front to back or lay it across the floor to help keep things from rolling around. Optional Optional Optional Optional Optional Optional Optional Optional Sunshade - 2nd Row ① Keep your rear passengers comfortable with the 2nd row sunshade. When in use, these sunshades dull sun glare and reduce temperatures, as well as provide UV-A/B protection. Custom designed to function with all safety features and window operation. Optional Optional Optional Optional Optional Optional Optional Optional **All-Weather Floor Liners** ① Custom-fitted, high wall design floor liners help protect the vehicle carpet from accidental spills, snow, sand, much, dirt and moisture. All-Weather Floor Liners are precision-engineered to ensure a precise fit and withstand a series of functional and durability evaluations to help ensure the liners will not warp, fade or tear. Not intended for use on top of Carpeted Floor Mats.

Power Moonroof • Heated Steering Wheel • Subaru 11.6-inch Multimedia System with Navigation •

| Optional | Optional | Optional | Optional | Optional | Not Available | Optional | Optional |
|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|--------------------------------------------------------------------|------------------------------------------|------------------------------------------------|---------------------------------------------|----------------------------------|
| Auto-Dimm | ing Exterior Mi | rror with Appr | oach Light | | | | |
| your doors with towards the rea the Auto-Dimmi | httime driving safety the keyless entry sy ir of the vehicle. Dur ing (Interior) Mirror, or mirror). *Requires | ystem, LED lights lo ring nighttime drivin creating a safer dri | ocated behind the s ig, the Exterior Auto ving experience. D | Subaru logo in ead o-Dimming Mirrors | ch exterior mirror wi s will reduce headlig | Il illuminate the gro th glare by dimmin | und next to and g in unison with |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Cargo Side | wall Protector | | | | | | |
| precise fit and to Protectors can l | ection to the rear car exture-matched to o be easily removed, eatback Protector a | compliment function rinsed clean and ea | nality and appearan asily reinstalled. Pro | nce of the Rear Se ovides optimal pro | atback Protector ar | nd Cargo Tray. The | Cargo Sidewall |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Door Scuff | Protector | | | | | | |
| | asy to clean plastic ique texture complir | | | | | when entering and | exiting your |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Rear Seatba | ack Protector | | | | | | |
| i Provides add for optimal prote | ditional protection to ection. | the rear seatbacks | s when lowering the | e seats to transpor | rt larger cargo. Use | in conjunction with | the Cargo Tray |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Seat Cover | - Rear | | | | | | |
| | econd row tidy with ets and life on the g | | | | | atch accessibleth | is seat cover is |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Wheel Lug I | Nut and Lock S | Set - Black | | | | | |
| i Match your o | dark colored wheels | by changing all lug | nuts to black for in | mproved styling. Ir | ncludes four locks a | nd key to help dete | er theft of wheels |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Door Cladd | ing | | | | | | |
| the lower door t | enhance the rugged trim, providing additi n and crack resistan | ional protection from | m gravel, sand and | road debris. Door | r Cladding withstand | | |
| Not Available | Not Available | Not Available | Not Available | Not Available | Optional | Not Available | Not Available |
| Footwell IIIu | umination Kit | | | | | | |
| | e dark corners of the is integrated with the | | | | | | |

lights install securely into designated, prearranged locations.

| Optional | | | | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Rear Gate T | rim - Chrome | | | | | | |
| i Enhance the | appearance of you | r rear lift gate with | chrome trim. | | | | |
| Optional | Optional | Optional | Optional | Optional | Not Available | Optional | Optional |
| Thule [®] 2-In | ch Hitch Adapt | er | | | | | |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Thule [®] Bike | Carrier - Hitch | Mounted - 4 | bikes | | | | |
| bike and bike-to to the 2-inch Su backwards for a Requires Traile | d by Thule [®] , this all p-vehicle contact an abaru Genuine Traill access to rear of vehicle the thick the laws of | d help absorb road er Hitch only. Arms nicle. Integrated loo ocking taillights, us | d shock for frame prosections fold down and tong cking cable and lock e only roof mounted | otection. The carri gue assembly fold king hitch pin lock d bike carriers to tr | er is unique to Substitution of the substitution of the substitution of the case of the ca | paru and designed to se for easy storage rrier and carrier to t | to properly atta . Rack pivots the vehicle. |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| frames. With tw | m-construction plat o-bike capacity, the down for rear of vel | carrier is designed | d to fit Subaru 1-1/4 | -inch hitch receive | ers and fits most 20 | " to 29" wheels with | h tires up to 5' |
| frames. With tw wide. Rack tilts to the vehicle. F Optional | o-bike capacity, the down for rear of vel Requires 2-Inch Hito Optional | carrier is designed hicle access and fo th Adapter for Clas Optional | d to fit Subaru 1-1/4 olds up when not in | l-inch hitch receive use. Includes lock | ers and fits most 20 | " to 29" wheels with | h tires up to 5" |
| frames. With tw wide. Rack tilts to the vehicle. For Optional Thule Care Manufacture loading and unl box capacity and wide. Rack tilts to the vehicle. For optional | o-bike capacity, the down for rear of vel Requires 2-Inch Hito | carrier is designed hicle access and for hick Adapter for Class Optional cended carrier proviside of the vehicle, mounting system a | d to fit Subaru 1-1/4 olds up when not in s #2 and #3 Trailer Optional vides 17 cubic feet of The low profile, aei allows for an easy, t | I-inch hitch receive use. Includes lock Hitches. Optional of lockable storage rodynamic design tool-free installation | Optional e capacity and feat provides increased and removal. Me | " to 29" wheels with wo bikes to the carron optional Optional ures dual-side oper digarage access with asures 84" L x 34.5 | h tires up to 5" rier and the ca Optional ning for easier hout sacrificing " W x 17" H. |
| frames. With tw wide. Rack tilts to the vehicle. For Optional Thule Care Manufacture loading and unl box capacity and wide. Rack tilts to the vehicle. For optional | o-bike capacity, the down for rear of vel Requires 2-Inch Hitch Optional Go Carrier - Ext d by Thule®, the expoading from either side the Quick-Grip Market Street | carrier is designed hicle access and for hick Adapter for Class Optional cended carrier proviside of the vehicle, mounting system a | d to fit Subaru 1-1/4 olds up when not in s #2 and #3 Trailer Optional vides 17 cubic feet of The low profile, aei allows for an easy, t | I-inch hitch receive use. Includes lock Hitches. Optional of lockable storage rodynamic design tool-free installation | Optional e capacity and feat provides increased and removal. Me | " to 29" wheels with wo bikes to the carron optional Optional ures dual-side oper digarage access with asures 84" L x 34.5 | h tires up to 5" rier and the ca Optional ning for easier hout sacrificing " W x 17" H. |
| frames. With tw wide. Rack tilts to the vehicle. For Optional Thule Manufacture loading and unl box capacity an Crossbar Set recognitional | o-bike capacity, the down for rear of vel Requires 2-Inch Hitch Optional Go Carrier - Ext d by Thule®, the expoading from either sequired. Consult vehicles | carrier is designed hicle access and for hicle access and for hick Adapter for Class Optional cended carrier proviside of the vehicle, mounting system a hicle owner's manu Optional | d to fit Subaru 1-1/4 olds up when not in s #2 and #3 Trailer Optional vides 17 cubic feet of the low profile, aer allows for an easy, the lor total roof load Optional | I-inch hitch receive use. Includes lock Hitches. Optional of lockable storage rodynamic design cool-free installation I limit. Cannot be use. | Optional e capacity and feat provides increased in conjunction | " to 29" wheels with wo bikes to the carron optional Optional ures dual-side oper digarage access with asures 84" L x 34.5 with the Moonroof | h tires up to 5'rier and the ca Optional ning for easier hout sacrificin 5" W x 17" H. Air Deflector. |
| frames. With tw wide. Rack tilts to the vehicle. For optional Thule Carc Manufacture loading and unl box capacity and Crossbar Set reconstituting Thule Cross Thule Cross Thule Cross | o-bike capacity, the down for rear of vel Requires 2-Inch Hito Optional Go Carrier - Ext d by Thule®, the extoading from either sed the Quick-Grip equired. Consult veh | carrier is designed hicle access and for hicle access and for hick Adapter for Class Optional cended carrier proviside of the vehicle. mounting system and icle owner's manual optional centered carrier an aerodynamic area to mount multiple hick and carrier is designed. | d to fit Subaru 1-1/4 olds up when not in s #2 and #3 Trailer Optional vides 17 cubic feet of the low profile, aer allows for an easy, the lor total roof load Optional Black c profile that helps the loge accessories on | I-inch hitch receive use. Includes lock Hitches. Optional of lockable storage rodynamic design cool-free installation I limit. Cannot be used to minimize wind not the Outback Wilder | Optional c capacity and feat provides increased in conjunction Optional Optional | " to 29" wheels with wo bikes to the carr Optional ures dual-side oper digarage access with asures 84" L x 34.5 with the Moonroof Optional asy installation and a with Thule Genuin | h tires up to 5'rier and the ca Optional ining for easier hout sacrificin I'' W x 17" H. Air Deflector. Optional |
| frames. With tw wide. Rack tilts to the vehicle. For optional Thule Carc Manufacture loading and unl box capacity and Crossbar Set reconstituting Thule Cross Thule Cross Thule Cross | o-bike capacity, the down for rear of vel Requires 2-Inch Hito Optional Go Carrier - Ext d by Thule®, the ext oading from either standing from either stan | carrier is designed hicle access and for hicle access and for hick Adapter for Class Optional cended carrier proviside of the vehicle. mounting system and icle owner's manual optional centered carrier an aerodynamic area to mount multiple hick and carrier is designed. | d to fit Subaru 1-1/4 olds up when not in s #2 and #3 Trailer Optional vides 17 cubic feet of the low profile, aer allows for an easy, the lor total roof load Optional Black c profile that helps the loge accessories on | I-inch hitch receive use. Includes lock Hitches. Optional of lockable storage rodynamic design cool-free installation I limit. Cannot be used to minimize wind not the Outback Wilder | Optional c capacity and feat provides increased in conjunction Optional Optional | " to 29" wheels with wo bikes to the carr Optional ures dual-side oper digarage access with asures 84" L x 34.5 with the Moonroof Optional asy installation and a with Thule Genuin | h tires up to 5'rier and the car Optional ning for easier thout sacrificins" W x 17" H. Air Deflector. Optional |
| frames. With tw wide. Rack tilts to the vehicle. For the vehicle. For the vehicle of the vehicle of the vehicle. For the vehicle of the vehic | o-bike capacity, the down for rear of vel Requires 2-Inch Hitch Optional Go Carrier - Ext od by Thule®, the exponding from either standing from either stan | carrier is designed hicle access and for hicle access and for hick Adapter for Class Optional cended tended carrier proviside of the vehicle. mounting system a nicle owner's manu Optional o Extended - I fer an aerodynamic area to mount multiply smanual for total | d to fit Subaru 1-1/4 olds up when not in s #2 and #3 Trailer Optional Vides 17 cubic feet of the low profile, aer allows for an easy, the low for the low profile allows for an easy, the low profile allows for an easy, the low profile accessories on roof load limit. Thu | I-inch hitch receive use. Includes lock Hitches. Optional of lockable storage rodynamic design cool-free installation I limit. Cannot be used to minimize wind not the Outback Wildele Crossbars are seen and the optional storage. | Optional e capacity and feat provides increased and removal. Me used in conjunction Optional | Optional Optional Optional ures dual-side oper digarage access with asures 84" L x 34.5 with the Moonroof Optional asy installation and ele with Thule Genuin in roof top tents. | h tires up to 5 rier and the ca Optional ning for easier thout sacrificin " W x 17" H. Air Deflector. Optional |
| frames. With tw wide. Rack tilts to the vehicle. For Optional Thule Carg Thule Carg Manufacture loading and unl box capacity and Crossbar Set reconstruction of the carge o | o-bike capacity, the down for rear of vel down for rear of vel Requires 2-Inch Hitch Optional Go Carrier - Ext od by Thule®, the exponent of the Quick-Grip of the Quick-Grip of the Quired. Consult veh Optional SSBAR Set - Aer of the along the properties of the Available of the Quick-Grip of the Available of t | carrier is designed hicle access and for hicle access and for hick Adapter for Class Optional cended tended tended carrier proviside of the vehicle, mounting system a hicle owner's manu Optional o Extended - I fer an aerodynamic rea to mount multitr's manual for total Not Available | d to fit Subaru 1-1/4 olds up when not in s #2 and #3 Trailer Optional Vides 17 cubic feet of The low profile, aer allows for an easy, the real for total roof load of the complete of profile that helps the profile accessories on roof load limit. Thu Not Available | I-inch hitch receive use. Includes lock Hitches. Optional of lockable storage rodynamic design cool-free installation I limit. Cannot be use optional to minimize wind not the Outback Wilder Crossbars are served. Not Available | Optional e capacity and feat provides increased and removal. Me used in conjunction Optional Optional | Optional | h tires up to 5'rier and the ca Optional Optional ning for easier hout sacrificin " W x 17" H. Air Deflector. Optional removal, the le Subaru roof Not Availab |

| | | ght, the Collapsible reryday transport. C | | | | | |
|--------------------------------------------------------------|-----------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|---------------------------------------------------------------------|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| to-use alternative cargo area with | e to cumbersome i | metal carriers. Des stable straps and ca | igned with three lar | rge integrated zipp | ered openings for e | easy pet access and | d secures in the |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Collapsible | Pet Kennel - N | l ledium | | | | | |
| making it ideal for to-use alternative cargo area with | or travel and for eve e to cumbersome | ght, the Collapsible reryday transport. Cometal carriers. Des stable straps and ca | Constructed of dura | ble, black polyeste | r fabric and a steel ered openings for e | tube frame, the ke | nnel is an easy- d secures in the |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Console Lid | Protector | | | | | | |
| Manufactured w | ith a rugged polyes | surface from nail so ster exterior and mo ntegrated durable e | ulti-layered padded | I interior, the Conso | ole Lid Protector ea | sily installs by slipp | oing over the |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Pet Carrier a | and Mobile Pe | t Bed | | | | | |
| i This multi-fun | ctional ultra-plush | pet bed also doubl | es as a carrier to tr | ansport your small | dog or cat in comf | ort and safety – bo | th in and out |
| seatbelt straps we the road, helping the durable uppe | vhen used as a car g to make travel les er mesh dome, pad | certified by the Cen r seat. The remova ss stressful. The Modded carry handle a s machine-washabl | ble, ultra-plush inte obile Pet Bed is un and adjustable sho | erior bedding allows iquely designed in | s your furry compar signature Subaru b | nion to feel right at lolue, includes zippe | home when on r pulls to remove |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Pet Harness | - Extra Large | | | | | | |
| design, combine | ed with a padded ve | at belt and begin all est, seat belt grade | straps and stress | tested buckles, wo | rk together to distri | bute and reduce da | amaging forces |
| and style. Crash also designed fo | tested at child safer use outside of the ty at night. To dete | ion. Manufactured fety seat standards e vehicle as a walk ermine the correct s | and certified by the ing harness with de | e Center for Pet Sa ouble "D" ring conr | afety for dogs from nection to affix a lea | 18 to 90 pounds. Tash and reflective s | he harness is trips and logo for |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Pet Ramp | | | | | | | |
| from jumping in and for those will ramp design and | and out. The alumenth mobility issues. It high-grip ridged s | nion into your Suba inum and plastic co The ramp rests on surface provides sa store in the cargo | nstruction Pet Rar the ground with rul fe footing in most v | np supports pets up oberized feet to prove weather conditions | p to 220 lbs. and is ovide a firm grip and | especially suited for the suited for the suited for the suited for the suite suite for the suite of the suite | or senior dogs g. The non-slip |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Pet Travel B | owl - Medium | | | | | | |
| The Subaru Pet | Travel Bowl allows | nd your furry four-le s you to freeze wat se design helps res | er in the base to ke | ep water cool and | wet food fresh while | le traveling. The lid | doubles as |

Collapsible Pet Kennel - Large

| manufactured wand bite. | rith FDA food-grade | silicone. Specially | designed in distin | ctive Subaru blue s | o your pet can sho | w their love for Su | baru with each sip |
|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|--------------------------------------------------------------------|---------------------------------------------------------------------------------|-------------------------------------------|--------------------------------------|
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Pet-friendly | Padded Cargo | Liner | | | | | |
| pet hair, nail scr 60/40 seats to b loops and rear of | g and durable polye ratches, accidents a e up or down while child seat tether poi ity. LATCH accessi | and spills. Design ir in use. The liner is nts. Adjustable stra | ncludes a foldout be easy to install with the securely affix to | umper protector for h durable, adjustabo headrests and Ve | additional protecti le latches that attac lcro [®] mounting stra | on and a zipper to ch to the lower car | allow for the go area mounting |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Seat Cover | - Rear | | | | | | |
| | econd row tidy with , kids and life on the | | | | | LATCH accessible | - this seat cover |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Pet-friendly | Padded Seat I | Protector | | | | | |
| a smooth, tailores s quick and eas for a tidy appea | back seat from muced seat back and quest. Water-resistant arance, and folds do assengers. 60/40 seasengers. | uilted seat pad to p and LATCH access wn for easy storago | rotect your Subarusible, the Pet-frience when not in use. | i. Seamlessly design dly Padded Seat Pro The protector is su | ned without buckle otector offers maxi | es or straps, installamum coverage wit | ation and removal hout excess fabric |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| | nited Warranty 3 years or | | 3 years or | 3 years or | 3 years or | 3 years or | 3 years or |
| | 36,000 miles*** | | | | | | |
| Powertrain l | Limited Warraı | nty | | | | | |
| | 5 years or 60,000 miles*** | | | | | | |
| Wear Item L | imited Warran | ty | | | | | |
| | 3 years or 36,000 miles*** | | | | | | |
| Rust Perfora | ation Limited V | Varranty | | | | | |
| 5 years, unlimited mileage | 5 years, unlimited mileage | 5 years, unlimited mileage | 5 years, unlimited mileage | 5 years, unlimited mileage | 5 years, unlimited mileage | 5 years, unlimited mileage | 5 years or 60,000 miles*** |

| 1 The glass information listed represents calculated reference values and may not represent actual values determined by testing. |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2 Compatible smartphone and application required. The latest app version is required for best performance. Data provided by smartphone is displayed on head unit screen. Some state laws prohibit the operation of handheld electronic devices while operating a vehicle. Smartphone apps should only be launched when vehicle is safely parked. Your wireless carrier's rates may apply. |
| 3 EyeSight is a driver-assist system that may not operate optimally under all driving conditions. The driver is always responsible for safe and attentive driving. System effectiveness depends on many factors, such as vehicle maintenance, weather, and road conditions. See Owner's Manual for complete details on system operation and limitations. |
| 4 Certain limitations apply. See Owner's Manual for details. |
| 5 EyeSight is a driver assist system which may not operate optimally under all driving conditions. Advanced Adaptive Cruise Control and Brake Light Recognition are designed to assist the driver and are not substitutes for safe and attentive driving. Lane Keep Assist operates only when the lane markings are visible. The driver is alway responsible for safe and attentive driving. System effectiveness depends on many factors, such as vehicle maintenance, weather, and road conditions. Lane centering function operates only when used in conjunction with Advanced Adaptive Cruise Control. See Owner's Manual for complete details on system operations and limitations. |
| 6 All SiriusXM services require a subscription, sold separately by SiriusXM after the trial period. Your SiriusXM service will automatically stop at the end of your trial unles you decide to subscribe. If you decide to continue service, the subscription plan chosen will automatically renew and be charged according to your chosen payment method at the then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement & Privacy Policy at www.siriusxm.com for full terms and how to cancel, which includes online methods or calling 1-866-635-2349. Available in the 48 contiguous United States, D.C., and Puerto Rico (with coverage limits and capable receiver) Visit http://www.siriusxm.com/FAQS for most current service area information. Availability of some services and features is subject to device capabilities and location restrictions. All fees, content and features are subject to change. SiriusXM, Pandora and all related logos are trademarks of Sirius XM Radio Inc. and its respective subsidiaries. |
| 7 Activation and required subscription sold separately. Includes trial subscription. See your retailer for details. |
| 8 Internet access is purchased separately through AT&T with monthly, per gigabyte, and unlimited data options available. Existing AT&T customers have the option to ada an additional line to their AT&T Mobile Share plan. |
| 9 Blind-Spot Detection, Lane Change Assist and Rear Cross-Traffic Alert are systems designed to assist the driver by monitoring the rear and side areas of the vehicle during a lane change or reversing and are not a substitute for safe and attentive driving. |
| 10 Reverse Automatic Braking is a system designed to assist the driver by detecting objects to help avoid a possible collision when the vehicle is moving in a reverse direction. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors such as vehicle maintenance, weather and road conditions. Always exercise caution and use vehicle mirrors and Rear-Vision Camera when backing up. See Owner's Manual for complete details on system operation and limitations |
| 11 Activation with subscription required. Includes a 3-year trial subscription to Safety services and a 6-month trial subscription to Safety and Security services. The Concierge plan can be purchased annually or monthly. A credit card on file will be required for specific packages and for renewal purposes. Features and availability vary by vehicle and trim level. May not be available in all states. See Retailer for details. |
| 12 The Supplemental Restraint System (SRS) (airbags) affords the driver and the front passenger additional protection in moderate to severe frontal and side-impact collisions, and outboard 2nd-row passengers additional protection in moderate to severe side-impact collisions. This system provides supplemental protection only, and seat belts must be worn in order to avoid injuries to out-of-position occupants upon bag deployment and to provide the best combined protection in a serious accident. Children should always be properly restrained in the rear seat. |

| Legal Disclaimers * MSRP does not include destination and delivery charges, tax, title, and registration fees. Destination and delivery includes handling and inland freight fees and may vary in some states. Prices, specifications, options, features, and models subject to change without notice. Select colors may be subject to an additional charge. See your retailer for more information. |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ** EPA fuel economy estimates. Actual mileage will vary with driving conditions and your vehicle's condition. |
| *** Limited warranties are contingent on age and mileage. Whatever comes first concludes the warranty. |
| † Connected Services depend on factors outside Toyota's control, including an operative telematics device, a cellular connection, GPS signal and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Service may vary by vehicle and region. Apps and services subject to change at any time without notice. Requires app download/registration and subscription after trial (if applicable). Terms of Use apply. Data usage and charges may apply. To learn about Toyota's connected services data collection, use, sharing and retention practices, please visit toyota.com/privacyvts |
| Safety Connect: Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. |
| Remote Connect: Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote start/stop not available on manual transmission-equipped vehicles. |
| Drive Connect: Services not available in every city or roadway. |
| Service Connect: Information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration. |
| Wi-Fi Connect: Eligible vehicle and wireless service required. Wi-Fi Connect coverage and service not available everywhere. Valid in the contiguous U.S. and Alaska. Do not drive distracted. Go to att.com/solterra for terms and conditions. Up to 5 devices can be supported using in-vehicle connectivity. The Wi-Fi Connect trial begins at the time of enrollment activation and expires when 30 days or the earlier of 3GB of data is used or the 1-month period ends. Subscription required after trial. Integrated Streaming requires subscription for third-party provider services. |
| Subaru has the utmost respect for the environment and is a proud partner of Leave No Trace. Care was taken not to harm the environment when taking this photo. |
| The various Subaru house marks, logos, trademarks, and/or names used or featured are owned, registered, and/or exclusively licensed by or from Subaru Corporation or Subaru of America, Inc. |
| iPod and iPad are registered trademarks of Apple Inc.; Brembo is a registered trademark of Freni Brembo S.p.A.; Alcantara is a registered trademark of Alcantara S.p.A and Alcantara is produced by Toray Group.; Ultrasuede® is a registered trademark of Toray Industries, Inc.; TORSEN LSD® is a registered trademark of JTEKT TORSEN North America, Inc BBS is a registered trademark of BBS Kraftfahrzeugtechnik AG.; Bluetooth is a registered trademark of Bluetooth SIG, Inc.; HomeLink® and the HomeLink® house icon are registered trademarks of Gentex Corporation.; Tom Tom is a registered trademark of TomTom International BV; Aha and Harman Kardon are |

| a registered trademarks of Harman International Industrie | s, Inc.; Android is a trademark | of Google Inc.; HD Radio | is a registered trademark of iBiqui | ty Digital Corporation. |
|-----------------------------------------------------------|---------------------------------|-------------------------------|-------------------------------------|-------------------------|
| SiriusXM and SiriusXM NavTraffic are registered tradema | rks of SiriusXM Satellite Radio | . Inc.: iHeart is a registere | d trademark of Clear Channel. | |

PLEASE REVIEW THESE IMPORTANT DISCLOSURES.

Subaru of America, Inc. reserves the right to make changes at any time without notice or obligation to the information contained on this Internet site, prices, incentive programs, specifications, equipment, colors, materials, product illustrations and to change or discontinue models. All prices are based upon Manufacturer's Suggested Retail Prices ('MSRP') in U.S. dollars (unless otherwise indicated) and exclude taxes, title fees, licensing, options and destination charges unless specifically included. Retailers are independent businesses and are free to set their own retail prices. All information contained at this Internet site is intended for the USA market only.

Some vehicles shown with accessory or aftermarket equipment.