

2025 Crosstrek Compare Specs



2025 Crosstrek

Base

\$26,560*



2025 Crosstrek

Premium

\$27,810*

Standard



2025 Crosstrek

Sport

\$30,360*



2025 Crosstrek

Limited

\$32,260*

Standard



2025 Crosstrek

Wilderness

\$33,360*

Standard

Highlights

Standard

Starting Price*				
\$26,560	\$27,810	\$30,360	\$32,260	\$33,360
Up to MPG** (hwy/cit	y)			
34/27	33/27	33/27	33/27	29/25
Engine				
2.0-liter SUBARU BOXER [®] 4-cylinder	2.5-liter SUBARU BOXER [®] 4-cylinder			
Symmetrical All-Whe	el Drive			

Standard

	System			
Standard	Standard	Standard	Standard	Standard
Leather-trimmed uph	nolstery			
Not Available	Not Available	Not Available	Standard	Not Available
EyeSight [®] Driver Ass	sist Technology ²			
Standard	Standard	Standard	Standard	Standard
18-inch alloy wheels				
Not Available	Not Available	Standard	Standard	Not Available
ingine/Chassis	5			
Engine and Drivetrain	n			
2.0-liter DOHC engine	е			
2.0-liter DOHC direct-inje Control System (DAVCS)	ection aluminum-alloy 16-valv	re horizontally opposed 4-cylind	der SUBARU BOXER [®] engine	e with Dual Active Valve
Standard	Not Available	Not Available	Not Available	Not Available
Power: 152 hp @ 6,0				
1 JWG1. 132 11p @ 0,0	00 rpm			
Standard	00 rpm Not Available	Not Available	Not Available	Not Available
	Not Available	Not Available	Not Available	Not Available
Standard	Not Available	Not Available Not Available	Not Available Not Available	Not Available Not Available
Standard Torque: 145 lb-ft @ 4	Not Available 1,000 rpm Not Available			
Standard Torque: 145 lb-ft @ 4 Standard 2.5-liter DOHC engine	Not Available 1,000 rpm Not Available		Not Available	Not Available
Standard Torque: 145 lb-ft @ 4 Standard 2.5-liter DOHC engine 1 2.5-liter DOHC direct-inje	Not Available 1,000 rpm Not Available	Not Available	Not Available	Not Available
Standard Torque: 145 lb-ft @ 4 Standard 2.5-liter DOHC engine © 2.5-liter DOHC direct-inje Control System (DAVCS)	Not Available 1,000 rpm Not Available e ection aluminum-alloy 16-valv Standard	Not Available re horizontally opposed 4-cylind	Not Available der SUBARU BOXER [®] engine	Not Available e with Dual Active Valve
Standard Torque: 145 lb-ft @ 4 Standard 2.5-liter DOHC engine ① 2.5-liter DOHC direct-inje Control System (DAVCS) Not Available	Not Available 1,000 rpm Not Available e ection aluminum-alloy 16-valv Standard	Not Available re horizontally opposed 4-cylind	Not Available der SUBARU BOXER [®] engine	Not Available e with Dual Active Valve
Standard Torque: 145 lb-ft @ 4 Standard 2.5-liter DOHC engine ① 2.5-liter DOHC direct-inje Control System (DAVCS) Not Available Power: 182 hp @ 5,86	Not Available 1,000 rpm Not Available e ection aluminum-alloy 16-valv Standard 00 rpm Standard	Not Available re horizontally opposed 4-cylind Standard	Not Available der SUBARU BOXER [®] engine Standard	Not Available e with Dual Active Valve Standard

	distinctively different modes of your controlled throttle and Linear		ristics by regulating the Engine	Control Unit (ECU) and by
Standard	Standard	Standard	Standard	Standard
Lineartronic [®] CVT w	vith Adaptive Control a	nd Incline Start Assist	:	
Standard	Not Available	Not Available	Not Available	Not Available
Lineartronic [®] CVT w	vith Adaptive Control, I	ncline Start Assist and	d 8-speed manual mode	e with paddle shifters
Not Available	Standard	Standard	Standard	Standard
Maximum towing ca	3 pacity			
1,500 pounds	1,500 pounds	1,500 pounds	1,500 pounds	3,500 pounds
Stability and Tractio	n			
Subaru Symmetrica	I All-Wheel Drive			
Standard	Standard	Standard	Standard	Standard
X-MODE [®]				
VDC system to reduce indi	gine output and transmission r vidual wheelspin, providing op DDE with Deep Snow/Mud setti	timal traction on low-friction s	system engagement, and use urfaces. Premium, Sport, Limit	s enhanced control of the ed, and Wilderness models
Standard	Standard	Standard	Standard	Standard
Hill Descent Control	(HDC)			
X-MODE [®] also incorpor vehicle control.	rates Hill Descent Control (HD0	C), which helps to maintain a	constant vehicle speed when to	raveling downhill, enhancing
Standard	Standard	Standard	Standard	Standard
Vehicle Dynamics C	ontrol (VDC)			
rate, and lateral G-forces. I		ween the driver's intended pa	eel speeds, steering angle, bra th and the one the vehicle is a	
Standard	Standard	Standard	Standard	Standard
Traction Control Sys	stem (TCS)			
	an all-wheel, all-speed traction ary to maintain vehicle motion		loss of traction and applies bra	aking force to the slipping
Standard	Standard	Standard	Standard	Standard

Subaru Intelligent Drive (SI-DRIVE)

	g works in tandem with VDC by ing, and higher cornering limits		e inside front wheel, resulting i	n better handling, sharper
Standard	Standard	Standard	Standard	Standard
Auto Vehicle Hold (AVH)			
	iver fatigue by holding the vehi trol system and the Electronic			
Standard	Standard	Standard	Standard	Standard
Fuel				
Fuel economy**, 2.0	9-liter, Lineartronic CVT	(hwy/city): 34/27 MPG	i	
Standard	Not Available	Not Available	Not Available	Not Available
Fuel economy**, 2.5	i-liter, Lineartronic CVT	(hwy/city): 33/27 MPG		
Not Available	Standard	Standard	Standard	Not Available
Fuel economy**, 2.5	i-liter, Lineartronic CVT	(hwy/city): 29/25 MPG		
Not Available	Not Available	Not Available	Not Available	Standard
Fuel requirement: U	Inleaded gasoline (87 o	octane)		
Standard	Standard	Standard	Standard	Standard
Fuel tank capacity:	16.6 gallons			
Standard	Standard	Standard	Standard	Standard
Chassis				
Electric Power-Assi	sted Rack and Pinion S	Steering (EPAS)		
© Electric power-assisted	, quick-ratio rack-and-dual-pini	on steering (EPAS), turning ci	rcle: 35.44 feet	
Standard	Standard	Standard	Standard	Not Available
Electric Power-Assi	sted Rack and Pinion S	Steering (EPAS)		
© Electric power-assisted	, quick-ratio rack-and-dual-pini	on steering (EPAS), turning ci	rcle: 34.78 feet	
Not Available	Not Available	Not Available	Not Available	Standard
4-wheel independer	nt raised suspension			
© Front: Strut-type with lo	wer L-arm, stabilizer bar. Rear	: Double-wishbone with latera	l link pillow-ball joint bushing, s	stabilizer bar.
Standard	Standard	Standard	Standard	Standard

Active Torque Vectoring

4-wheel disc brakes				
4-wheel disc brakes, verinches front/rear	ntilated front, solid rear. 4-cha	nnel, 4-sensor ABS with Elect	ronic Brake-force Distribution ((EBD), 12.4 inches/11.2
Standard	Standard	Standard	Standard	Standard
Brake Assist				
① When emergency brakir	ng is detected by how quickly t	the brake pedal is pressed, ma	aximum brake pressure is imm	nediately applied.
Standard	Standard	Standard	Standard	Standard
Brake Override Syst	em			
If both brake and accele unintentional vehicle accele		iltaneously, the system reduce	es the operation of the accelera	ator pedal to help prevent
Standard	Standard	Standard	Standard	Standard
Exterior				
Dimensions				
Length/Width/Heigh	t			
Length/Width/Height 176.4 inches/70.9 inches/62.8 inches	176.4 inches/70.9 inches/63 inches (with roof rails)	176.4 inches/70.9 inches/63 inches (with roof rails)	176.4 inches/70.9 inches/63 inches (with roof rails)	176.4 inches/71.7 inches/63.6 inches (with roof rails)
176.4 inches/70.9	176.4 inches/70.9 inches/63 inches	inches/63 inches	inches/63 inches	inches/63.6 inches
176.4 inches/70.9 inches/62.8 inches	176.4 inches/70.9 inches/63 inches	inches/63 inches	inches/63 inches	inches/63.6 inches
176.4 inches/70.9 inches/62.8 inches	176.4 inches/70.9 inches/63 inches (with roof rails)	inches/63 inches (with roof rails)	inches/63 inches (with roof rails)	inches/63.6 inches (with roof rails)
176.4 inches/70.9 inches/62.8 inches Wheelbase 105.1 inches	176.4 inches/70.9 inches/63 inches (with roof rails) 105.1 inches	inches/63 inches (with roof rails)	inches/63 inches (with roof rails)	inches/63.6 inches (with roof rails)
176.4 inches/70.9 inches/62.8 inches Wheelbase 105.1 inches Track (front/rear)	176.4 inches/70.9 inches/63 inches (with roof rails) 105.1 inches	inches/63 inches (with roof rails)	inches/63 inches (with roof rails)	inches/63.6 inches (with roof rails)
176.4 inches/70.9 inches/62.8 inches Wheelbase 105.1 inches Track (front/rear) 61.2 inches/61.2 inches	176.4 inches/70.9 inches/63 inches (with roof rails) 105.1 inches	inches/63 inches (with roof rails)	inches/63 inches (with roof rails)	inches/63.6 inches (with roof rails)
176.4 inches/70.9 inches/62.8 inches Wheelbase 105.1 inches Track (front/rear) 61.2 inches/61.2 inches Base curb weight	176.4 inches/70.9 inches/63 inches (with roof rails) 105.1 inches 61.2 inches/61.2 inches	inches/63 inches (with roof rails) 105.1 inches 61.2 inches/61.2 inches	inches/63 inches (with roof rails) 105.1 inches 61.2 inches/61.2 inches	inches/63.6 inches (with roof rails) 104.9 inches 60.9 inches/60.8 inches

17 x 7.0-inch aluminum-alloy wheels, dark gray finish

Wheels and Tires

Standard Not Available Not Available Not Available Not Available

17 x 7.0-inch alumin	um-alloy wheels, dark	gray with machine fini	sh	
Not Available	Standard	Not Available	Not Available	Not Available
17 x 7.0-inch alumin	um-alloy wheels, matt	e-black finish		
Not Available	Not Available	Not Available	Not Available	Standard
18 x 7.0-inch alumin	um-alloy wheels, dark	gray finish		
Not Available	Not Available	Standard	Not Available	Not Available
18 x 7.0-inch alumin	um-alloy wheels, dark	gray with machine fini	sh	
Not Available	Not Available	Not Available	Standard	Not Available
225/60 R17 99H all-s	eason tires			
Standard	Standard	Not Available	Not Available	Not Available
225/60 R17 99T all-te	errain tires			
Not Available	Not Available	Not Available	Not Available	Standard
225/55 R18 98V all-s	eason tires			
Not Available	Not Available	Standard	Standard	Not Available
Temporary use T145	i/80 D17 spare tire			
Standard	Standard	Standard	Standard	Standard
Features				
LED Steering Respo	nsive Headlights (SRI	1)		
Standard	Standard	Standard	Standard	Standard
LED fog lights				
Not Available	Standard	Standard	Standard	Not Available
LED fog lights (hexa	gonal style)			
Not Available	Not Available	Not Available	Not Available	Standard
Roof spoiler				
Standard	Standard	Standard	Standard	Standard

Black folding side m	nirrors			
Standard	Not Available	Not Available	Not Available	Not Available
Dark gray-finish fold	ling side mirrors with i	ntegrated turn signals		
Not Available	Standard	Not Available	Standard	Not Available
Gloss black-finish fo	olding side mirrors with	n integrated turn signa	als	
Not Available	Not Available	Standard	Not Available	Not Available
Low-luster black fini	ish folding side mirrors	s with integrated turn	signals	
Not Available	Not Available	Not Available	Not Available	Standard
Body-color door har	ndles			
Not Available	Standard	Standard	Standard	Standard
Windshield wiper de	e-icer and heated side r	nirrors (All-Weather P	ackage)	
Not Available	Optional	Standard	Standard	Standard
Two-speed windshie	eld wipers with variable	e-intermittent mode an	d mist feature	
Standard	Standard	Standard	Standard	Standard
Single-speed rear w	indow wiper with fixed-	-intermittent mode		
Standard	Standard	Standard	Standard	Standard
Roof cross bar mou	nting points			
Standard	Not Available	Not Available	Not Available	Not Available
Raised roof rails, bla	ack finish			
i 165 pounds dynamic ma	aximum capacity, 700 pounds s	static maximum capacity		
Not Available	Standard	Standard	Standard	Not Available
Raised roof rails, bla	ack finish with Anodize	d Copper-finish accer	nts	
165 pounds dynamic ma	aximum capacity, 700 pounds s	static maximum capacity		
Not Available	Not Available	Not Available	Not Available	Standard
Wheel arch and lowe	er body cladding			
Standard	Standard	Standard	Standard	Standard

Not Available	Optional	Optional	Optional	Optional
Interior				
Dimensions				
Headroom (front/rea	ar)			
39.8 inches/38.0 inches	39.8 inches/38.0 inches (38.7 inches/38.0 inches with moonroof)			
Legroom (front/rear))			
42.9 inches/36.5 inches	42.9 inches/36.5 inches	42.9 inches/36.5 inches	42.9 inches/36.5 inches	42.9 inches/36.5 inches
Shoulder room (from	nt/rear)			
56.8 inches/55.3 inches	56.8 inches/55.3 inches	56.8 inches/55.3 inches	56.8 inches/55.3 inches	56.8 inches/55.3 inches
Passenger volume				
100.5 cubic feet	100.5 cubic feet (99 cubic feet with moonroof)	100.5 cubic feet (99 cubic feet with moonroof)	100.5 cubic feet (99 cubic feet with moonroof)	100.5 cubic feet (99 cubic feet with moonroof)
Cargo volume				
19.9 cubic feet	19.9 cubic feet	19.9 cubic feet	19.9 cubic feet	20.0 cubic feet
Maximum cargo vol	ume			
54.7 cubic feet with rear seatbacks lowered	54.7 cubic feet with rear seatbacks lowered	54.7 cubic feet with rear seatbacks lowered	54.7 cubic feet with rear seatbacks lowered	54.9 cubic feet with rear seatbacks lowered
Seating and Trim				
Manually adjustable	front seats			
i 6-way manually adjusta	ble driver's seat. 4-way manua	ally adjustable front-passenger	's seat.	
Standard	Standard	Standard	Not Available	Standard
Power driver's seat				
i 10-way power adjustabl	le driver's seat. 4-way manually	y adjustable front-passenger's	seat	
Not Available	Optional	Optional	Standard	Optional

Power tilt/sliding moonroof

(i) 95% UV light-reducing

Heated front seats (A	All-Weather Package)			
Not Available	Optional	Standard	Standard	Standard
60/40-split flat-foldin	g rear seatbacks			
Standard	Standard	Standard	Standard	Standard
Leather-wrapped ste	ering wheel			
Not Available	Not Available	Standard	Standard	Standard
Leather-wrapped shi	ifter handle			
Not Available	Not Available	Standard	Standard	Standard
Cloth upholstery				
Standard	Standard	Not Available	Not Available	Not Available
Sport cloth upholste	ry w/ yellow accents a	nd contrast stitching		
Not Available	Not Available	Standard	Not Available	Not Available
Leather-trimmed upl	nolstery w/ orange cor	trast stitching		
Not Available	Not Available	Not Available	Standard	Not Available
StarTex [®] water-repe	llent upholstery			
Not Available	Not Available	Not Available	Not Available	Standard
Instrumentation				
Instrument cluster w	rith speedometer and t	achometer		
	-			
Analog speedometer and	d tachometer with 4.2-inch col	or LCD display		
Standard	Standard	Standard	Standard	Standard
Amenities				
Convenience Feature	es			
Keyless Access with	Push-Button Start			
Not Available	Standard	Standard	Standard	Standard

Auto-on/off headlight	s			
Standard	Standard	Standard	Standard	Standard
Power front and rear	windows with driver	and front passenger au	uto-up/down	
Standard	Standard	Standard	Standard	Standard
Power side mirrors				
Standard	Standard	Standard	Standard	Standard
Electronic cruise con	trol			
Standard	Standard	Standard	Standard	Standard
3-spoke steering whe	el with integrated co	ntrols		
① 3-spoke steering wheel wi	ith audio system, Bluetooth,	and EyeSight [®] System Adapt	ive Cruise Control buttons	
Standard	Standard	Standard	Standard	Standard
Manually adjustable t	ilt/telescoping steerii	ng column		
Standard	Standard	Standard	Standard	Standard
Lineartronic [®] CVT pa	ddle shifters			
Not Available	Standard	Standard	Standard	Standard
Illuminated front USB	-A input port			
Standard	Not Available	Not Available	Not Available	Not Available
Illuminated front USB	-A and USB-C input լ	oorts		
Not Available	Standard	Standard	Standard	Standard
Illuminated rear USB-	A and USB-C chargir	ng ports		
Not Available	Standard	Standard	Standard	Standard
Dual cup holders in c	enter console			
Standard	Standard	Standard	Standard	Standard
Single bottle holder in	n each door panel			
Standard	Standard	Standard	Standard	Standard

Folding rear seat arm	nrest with dual cup hol	ders		
Not Available	Standard	Standard	Standard	Standard
Sun visors with cond	cealed illuminated vani	ty mirrors		
Not Available	Standard	Standard	Standard	Standard
Center console with	armrest lid			
Standard	Standard	Standard	Standard	Standard
Illuminated glove bo	x			
Not Available	Standard	Standard	Standard	Standard
Cargo-area with 2 gr	ocery bag hooks and 4	tie-down hooks		
Standard	Standard	Standard	Standard	Standard
Rear cargo tray				
Not Available	Standard	Standard	Standard	Standard
Retractable and rem	ovable cargo-area cove	er		
Not Available	Not Available	Standard	Standard	Standard
Climate Control				
Dual-zone automatic	climate control syster	n		
Standard	Standard	Standard	Standard	Standard
Audio and Communi	ication			
Subaru dual 7.0-inch	Multimedia System			
Auto integration, SiriusXI		k ^{®6} , AM/FM stereo, HD Radi	lti-touch gesture displays, Appl o [®] , USB-A input port, Bluetootl	
Standard	Not Available	Not Available	Not Available	Not Available
Subaru 11.6-inch Mu	Iltimedia Plus System			
integration, SiriusXM ^{®5} and		C technology, AM/FM stered	ture display, wireless Apple Ca o, HD Radio [®] , USB-A and USB uxiliary jack	
Not Available	Standard	Standard	Standard	Standard

wireless Apple CarPlay [®] and An FM stereo, HD Radio [®] , USB-A a 3.5mm auxiliary jack	droid Auto [™] integration and USB-C input ports, B	, SiriusXM [®] , SiriusXM [®] Traffi Bluetooth [®] audio streaming and	c [®] , and SiriusXM [®] Travel Lin hands-free phone and text m	k [®] , NFC technology, AM/ nessaging connectivity, and
Not Available	Not Available	Not Available	Optional	Not Available
4 speakers				
Standard	Not Available	Not Available	Not Available	Not Available
6 speakers				
Not Available	Standard	Standard	Standard	Standard
Harman Kardon [®] premiu	ım audio system			
i Includes 10 Harman Kardon®	speakers and 432-watt-	equivalent Harman Kardon am	plifier	
Not Available	Not Available	Not Available	Optional	Optional
4G LTE Wi-Fi capability				
Not Available	Standard	Standard	Standard	Standard
Safety Active Features				
•	Wheel Drive			
Active Features	•Wheel Drive Standard	Standard	Standard	Standard
Active Features Subaru Symmetrical All-	Standard	Standard	Standard	Standard
Active Features Subaru Symmetrical All-	Standard Technology			
Active Features Subaru Symmetrical All- Standard EyeSight® Driver Assist Advanced Adaptive Cruise Co. 8	Standard Technology			
Active Features Subaru Symmetrical All- Standard EyeSight® Driver Assist Advanced Adaptive Cruise Co	Standard Technology ontrol with Lane Centering	ng, Pre-collision Braking, Lane	Departure and Sway Warning	, Lane Keep Assist, and
Active Features Subaru Symmetrical All- Standard EyeSight® Driver Assist 1 Advanced Adaptive Cruise Co Automatic Emergency Steering Standard	Standard Technology ontrol with Lane Centerin	ng, Pre-collision Braking, Lane	Departure and Sway Warning Standard	, Lane Keep Assist, and Standard

① Subaru 11.6-inch Multimedia System with Navigation: voice-activated 11.6-inch multi-touch gesture high-resolution GPS navigation system with

Subaru 11.6-inch Multimedia System with Navigation

Blind-Spot Detection	/Rear Cross-Traffic A	9 lert		
Not Available	Optional	Optional	Standard	Standard
Reverse Automatic B	Braking (RAB)			
Reverse Automatic Brakithe brakes to avoid a collision.		the vehicle while reversing. If a	n obstacle is detected, the sy	ystem can automatically app
Not Available	Not Available	Not Available	Standard	Standard
Vehicle Dynamics Co	ontrol (VDC)			
Standard	Standard	Standard	Standard	Standard
4-wheel Anti-lock Bra	aking System (ABS)			
(i) 4-wheel ABS with Electron	onic Brake-force Distribution	(EBD)		
Standard	Standard	Standard	Standard	Standard
Brake Assist				
Standard	Standard	Standard	Standard	Standard
Brake Override Syste	em			
Standard	Standard	Standard	Standard	Standard
Tire Pressure Monito	oring System (TPMS)			
Standard	Standard	Standard	Standard	Standard
Daytime Running Lig	jhts (DRL)			
Standard	Standard	Standard	Standard	Standard
Rear-Vision Camera				
Standard	Standard	Standard	Standard	Standard
Passive Features				
MySubaru [®] Connecte	ed Services			
		sistance, Enhanced Roadside A vith climate control (Crosstrek L		
Not Available	Standard	Standard	Standard	Standard

Subaru advanced fro	ontal airbag system (S	SR S)		
① Dual-stage deployment of	driver and front passenger fro	ont airbags (SRS)		
Standard	Standard	Standard	Standard	Standard
Side-curtain airbags	(SRS) ¹²			
Side-curtain airbags with	rollover sensor protecting fro	ont and rear outboard occupan	ts (SRS)	
Standard	Standard	Standard	Standard	Standard
Seat-mounted front s	seat side pelvis/torso	airbags (SRS)		
Standard	Standard	Standard	Standard	Standard
Driver's knee airbag	(SRS) ¹²			
Standard	Standard	Standard	Standard	Standard
Passenger seat cush	nion airbag (SRS)			
Standard	Standard	Standard	Standard	Standard
Whiplash-reducing for	ront seats with height	-adjustable head restra	aints	
Standard	Standard	Standard	Standard	Standard
Three individual rear	-seat head restraints			
Standard	Standard	Standard	Standard	Standard
Height-adjustable 3-p				
Height-adjustable 3-point	t front seatbelts with pretensi	oners and force limiters, 3-poir	nt seatbelts at rear seating pos	itions
Standard	Standard	Standard	Standard	Standard
Rear child-safety do	or locks			
Standard	Standard	Standard	Standard	Standard
LATCH system				
① Lower Anchors and Teth	ers for Children			
Standard	Standard	Standard	Standard	Standard

Keyless entry system	anti-theft security system w	ith engine immobilizer		
Reyless entry system and	ann-men security system w	iui engine immobilizer		
Standard	Standard	Standard	Standard	Standard
Optional				
Packages				
Power moonroof • Pov	wer driver's seat • Al	I-Weather Package • Bl	ind-Spot Detection/Rea	ar Cross-Traffic Alert
Power tilt/sliding glass mod Detection/Rear Cross-Traffic	9	ge: heated front seats, windshi	eld wiper de-icer and heated s	side mirrors; Blind-Spot
Not Available	Optional	Not Available	Not Available	Not Available
Power moonroof • Pov	wer driver's seat • Bl	ind-Spot Detection/Rea	r Cross-Traffic Alert	
① Power tilt/sliding glass mod	onroof; 10-way power adju	stable driver's seat; Blind-Spot	Detection/Rear Cross-Traffic	Alert
Not Available	Not Available	Optional	Not Available	Not Available
Power moonroof • Har	rman Kardon [®] premi	um audio system		
i Power tilt/sliding glass mod	onroof; 10 Harman Kardon [©]	speakers and 432-watt-equive	alent Harman Kardon amplifie	r
Not Available	Not Available	Not Available	Optional	Not Available
Power moonroof • Sul system	oaru 11.6-inch Multin	nedia System with Navi	igation • Harman Kardo	on [®] premium audio
resolution GPS navigation sys	stem with wireless Apple Ca	ultimedia System with Navigati arPlay [®] and Android Auto [™] int o [®] , USB-A and USB-C input po 0 Harman Kardon speakers [®] a	egration ¹ , SiriusXM [®] ⁵ , SiriusX orts, Bluetooth [®] audio streami	KM [®] Traffic [®] , and SiriusXM [®] ng and hands-free phone and
Not Available	Not Available	Not Available	Optional	Not Available
Power moonroof • Pov	wer driver's seat • Ha	arman Kardon [®] premiu	m audio system	
Power tilt/sliding glass mod Kardon amplifier	onroof; 10-way power adjus	stable driver's seat; 10 Harman	Kardon speakers [®] and 432-w	ratt-equivalent Harman
Not Available	Not Available	Not Available	Not Available	Optional

Security

Auto-Dimming Mirror w	ith Compass and Ho	omeLink [®]		
^① This upgraded auto-dimming Three backlit HomeLink [®] buttor you with the last status of your of	ns can be programmed to c	perate most garage doors, se	ecurity gates, home lighting an	d more. Can also provide
Optional	Optional	Optional	Optional	Optional
Rear Gate Assist Handle	e			
Designed for easier closing of the vehicle's rear hatch structure				
Optional	Optional	Optional	Optional	Optional
Battery Charger and Ma	intainer			
① Custom engineered for Suba life. Comes with alligator clamps is ready for your next adventure indicates when you can attempt Designed with a rubber bumper	s for quick connections and e. Fully automatic charging to start your vehicle. 'Reco	I ring-terminals for more perm with LED lights and countdow anditioning' mode restores de	nament connections, to help en in timer to indicate remaining of eply discharged batteries. Rev	sure your vehicle's battery charge time. 'Try' LED light
Optional	Optional	Optional	Optional	Optional
First Aid Kit				
① Contains practical supplies to adhesive tape, scissors, tweeze for easy accessibility				
Optional	Optional	Optional	Optional	Optional
Accessory Grille				
i) Create a custom look for the	front of your Crosstrek by	replacing the stock factory gri	lle with the Accessory Grille.	
Optional	Optional	Optional	Optional	Not Available
Footwell Illumination Ki	t			
Illuminate the dark corners o Illumination Kit is integrated with lights install securely into design	n the vehicle's light manage	ement system to brighten and		
Optional	Optional	Optional	Optional	Optional
LED Upgrade				
① Enhance the illumination of y accessory is developed and tes of your vehicle's electrical infras	ted to rigorous Subaru star			
Optional	Not Available	Not Available	Not Available	Not Available
LED Upgrade				

① Enhance the illumination of your standard interior map, visor and dome lights with brighter, whiter and crisper LED lighting. The LED Upgrade accessory is developed and tested to vigorous Subaru standards for seamless operation, uninterrupted functionality and to help ensure the safety of your vehicle's electrical infrastructure.

Not Available	Optional	Optional	Optional	Optional
Lower Door Cladding				
		d to enhance the exterior appear resistance. Designed to maintain		red to seamlessly conform to
Optional	Optional	Not Available	Not Available	Not Available
Rear Gate Light				
from the deck lid directly in from	t of, and into the cargo a paru Crosstrek. Replace	o area with bright, white LED ligh rea. Lighting automatically turns s an existing interior panel for se	off when the vehicle hatch is	closed. Integrated solution
Optional	Optional	Optional	Optional	Standard
Roof Spoiler				
① Adds an aggressive look to t	he roofline of the Crosst	rek. Available in Crystal Black Sil	lica. Not compatible with Thu	le [®] Cargo Carrier - Extended.
Optional	Optional	Optional	Optional	Optional
Side Sill Plates				
① Metallic-finished panels add	some protection and dre	ess up the sill plates of the Cross	trek. Set of four.	
Optional	Optional	Optional	Optional	Optional
STI Flexible Strut Towe	r Brace			
① Innovative design improves	driving dynamics without	sacrificing ride quality.		
Optional	Optional	Optional	Optional	Not Available
STI Starter Switch				
Upgrade the stock push start Crosstrek a sporty appearance.		rter Switch. The cherry red button	n with the STI logo in the cen	ter gives the interior of your
Not Available	Optional	Optional	Optional	Not Available
Thule [®] Awning - Roof M	lounted			
system for perfect canopy tensi drive, easily stow and protect ev person setup. Includes lightweig for use on vehicles with a cross When used on a hard surface, we	on, and integrated telesconderything in a sleek, dura yht, sleek aluminum case bar set. Includes locking weights are recommende	nelter from the sun and rain. The copic support legs to help quickly able and lightweight aluminum cae to store when not in use. 6.2 ft. adapter kit for mounting to the ced to anchor and stabilize the legries. (Representative image only	setup and adjust to the correse. Integrated legs and tensing in length and projects 8 ft. worossbars and stakes to secures. Can be used in conjunction	ect height. When it's time to fon arms allow for simple, one when fully extended. Suitable re the legs to the ground. In with the Thule Roof Top
Optional	Optional	Optional	Optional	Optional
Thule [®] Bike Carrier - Hi	tch Mounted - 2 bi	kes		
The anti-sway cages prevent bi	ke-to-bike and bike-to-ve	ack is nearly half the weight of mehicle contact and help absorb ro Genuine Trailer Hitch. Arms fold o	ad shock for frame protection	n. The carrier is unique to

	litch Adapter. To avoid blockir	tch pin lock the bike to the carr ng taillights: use roof mounted b		
Optional	Optional	Optional	Optional	Optional
Thule [®] Bike Carrier	- Hitch Mounted - 4 bik	es		
bike-to-vehicle contact and inch Subaru Genuine Traile Integrated locking cable and Requires Trailer Hitch. To a	help absorb road shock for fra er Hitch only. Arms fold down of d locking hitch pin lock the bik	or easy handling, installation an ame protection. The carrier is u when not in use for easy storages to the carrier and carrier to all roof mounted bike carriers to be carriers.	nique to Subaru and designed e. Rack pivots backwards for the vehicle. Four bike, 150 lbs	d to properly attach to the 2- access to rear of vehicle. b. total weight capacity.
Optional	Optional	Optional	Optional	Optional
Thule [®] Bike Carrier	- Roof Mounted			
and ratcheting straps that s (compatible) vehicles. Fits r	ecure the front and rear whee most 20" to 29" wheel bikes w sult vehicle owner's manual f	f-adjusting jaws that automatica els. Adjustable mounting clamps ith tires up to 2.6" wide. Include or total roof load limit. Cannot b	s make it easy to install and sves one lock to securely lock th	witch between multiple e bike to the carrier.
Optional	Optional	Optional	Optional	Optional
Thule [®] Cargo Carrie	r			
loading and unloading from box capacity and the Quick	either side of the vehicle. The -Grip ™ mounting system allow	es 13 cubic feet of lockable sto e low-profile, aerodynamic desi ws for an easy, tool-free installa 's manual for total roof load lim	gn provides increased garage tion and removal. Measures 6	access without sacrificing
Optional	Optional	Optional	Optional	Optional
Thule [®] Crossbar Set	- Aero Extended			
installation/removal, the cro	ssbars provide a large surfac	s offer an aerodynamic profile t e area to mount multiple acces of load limit. Thule [®] Crossbars	sories. Compatible with Thule	[®] Genuine Subaru roof
Not Available	Optional	Optional	Optional	Not Available
Thule [®] Crossbar Set	- Aero Extended - Bla	ıck		
installation/removal, the cro	ssbars provide a large surfac	s offer an aerodynamic profile t e area to mount multiple acces of load limit. Thule [®] Crossbars	sories. Compatible with Thule	[®] Genuine Subaru roof
Not Available	Not Available	Not Available	Not Available	Optional
Thule [®] Heavy-Duty F	Roof Cargo Basket			
The low-profile design and	tapered side walls allow for ea	asket provides additional storaç asy loading and unloading. Incl of accessories require Crossba	udes a black stretch net with h	nooks and custom fairing to
Optional	Optional	Optional	Optional	Optional

gear. Features panoramic sky comfort. Lockable mounting k protection – heavy rain, rain p door, window, and four skylig the elements when the tent is as a critical support to stabiliz Suitable for use on Subaru ve roof load limit. Quick and eas	ylights and windows to help brackets secure the tent to the protection with visibility throughts feature a bug screen and a stowed on top of the vehicle the weight of the tent and ehicles equipped with factory deployment in 3 minutes of mensions: 95" x 56" x 44". C	vehicle into a home away from keep you cool and the tent we ne Thule Crossbar Set – Aerough windows and skylights, and water-resistant polyester pare. Telescoping aluminum ladd its occupants. 2-3 person capy raised roof rails and adequator less: unzip the travel cover, losed dimensions: 49" x 56" x	o Extended. Removable rain of diready-to-deploy mode. Six of the for privacy. Zippered traveler allows easy access to the reacity: sleeps 2 adults and 1 cleer of capacity. Consult vehicunfold the base, and secure the	foam mattress for increased cover with 3 modes of dual-zippered panels for the doctor protects the tent from cooftop tent and functions hild, or 2 adults comfortably. The owner's manual for total the ladder to begin your
Not Available	Optional	Optional	Optional	Optional
Trailer Hitch				
at 1,500 lbs. towing capacity, weight. Trailer hitch requires	150 lbs. tongue weight. Tra hitch and harness for prope	eet the same rigorous safety stiller Hitch for Crosstrek Wilder r operation and safety complia oads. Consult owner's manual	ness rated at 3,500 lbs. towing nce. Hitch ball not included. B	g capacity, 350 lbs. tongue sall Mount sold separately.
Optional	Optional	Optional	Optional	Optional
Collapsible Pet Kenne	el - Medium			
making it ideal for travel and to-use alternative to cumbers cargo area with four included to carry your pet's personal c	for everyday transport. Consome metal carriers. Designe adjustable straps and carabargo. Measures 32" L x 23"	Kennel manufactured by Thuistructed of durable, black polyed with three large integrated zoiner hooks. Includes carrying W x 23" H. The Collapsible Pem/en-us/aboutthule/ warranty	ester fabric and a steel tube fraction from the steel fraction fraction from the steel fraction fra	ame, the kennel is an easy- t access and secures in the en not in use and two pockets
Optional	Optional	Optional	Optional	Optional
Osmasla I id Bustosta	•			
Console Lid Protector				
Protects the center consol Manufactured with a rugged p	e lid surface from nail scrato polyester exterior and multi-	thes and puncture holes, while layered padded interior, the Co tic straps. Designed with a nor	onsole Lid Protector easily ins	talls by slipping over the
Protects the center consol Manufactured with a rugged p	e lid surface from nail scrato polyester exterior and multi-	ayered padded interior, the Co	onsole Lid Protector easily ins	talls by slipping over the
Protects the center consol Manufactured with a rugged p console lid and securing with	e lid surface from nail scratc polyester exterior and multi- two integrated durable elas Optional	ayered padded interior, the Co tic straps. Designed with a nor	onsole Lid Protector easily ins n-slip bottom surface to help k	talls by slipping over the eep it in place.
① Protects the center consol Manufactured with a rugged processed lid and securing with Optional Pet Harness - Medium ① Buckle up your dog for saft and stress-tested buckles wo in signature Subaru blue. Ref	e lid surface from nail scratc polyester exterior and multi- two integrated durable elas Optional iety before you begin your rook together to distribute and fer to the sizing guide to dete t Safety for dogs 18-90 lbs.	optional Optional oad trip together. Infinity Loop reduce damaging forces in the cornect size for you Double "D" ring connection des	onsole Lid Protector easily inson-slip bottom surface to help k Optional webbing design, padded vest, e event of a car collision. Manual of the collision of	talls by slipping over the eep it in place. Optional seatbelt grade straps ufactured by Sleepypod® afety seat standards and
① Protects the center consol Manufactured with a rugged processed lid and securing with Optional Pet Harness - Medium ① Buckle up your dog for saft and stress-tested buckles wo in signature Subaru blue. Referrified by the Center for Pet	e lid surface from nail scratc polyester exterior and multi- two integrated durable elas Optional iety before you begin your rook together to distribute and fer to the sizing guide to dete t Safety for dogs 18-90 lbs.	optional Optional oad trip together. Infinity Loop reduce damaging forces in the cornect size for you Double "D" ring connection des	onsole Lid Protector easily inson-slip bottom surface to help k Optional webbing design, padded vest, e event of a car collision. Manual of the collision of	talls by slipping over the eep it in place. Optional seatbelt grade straps ufactured by Sleepypod® afety seat standards and
Protects the center consol Manufactured with a rugged pronsole lid and securing with Optional Pet Harness - Medium Buckle up your dog for saft and stress-tested buckles wo in signature Subaru blue. Referentified by the Center for Pet visibility at night. Measurements	e lid surface from nail scrato polyester exterior and multitwo integrated durable elas Optional fety before you begin your room to the sizing guide to deter to the sizing guide to deter to a safety for dogs 18-90 lbs. Ints for Medium Harness: 22 Optional	optional Optional Optional oad trip together. Infinity Loop reduce damaging forces in the termine the correct size for you Double "D" ring connection design. 5" - 28".	Onsole Lid Protector easily inson-slip bottom surface to help k Optional webbing design, padded vest, e event of a car collision. Man ir dog. Crash-tested at child sasign to affix a leash. Reflective	talls by slipping over the eep it in place. Optional seatbelt grade straps ufactured by Sleepypod® afety seat standards and e strips and logo for improved
① Protects the center consol Manufactured with a rugged pronsole lid and securing with Optional Pet Harness - Medium ① Buckle up your dog for saft and stress-tested buckles wo in signature Subaru blue. Refrecertified by the Center for Pet visibility at night. Measureme Optional Pet Rear Door Protect ① For your furry companion of from scratches, nail puncture of your door, and heavy-duty that insert between the window	e lid surface from nail scrato polyester exterior and multitwo integrated durable elas Optional fety before you begin your room to the total polyester to distribute and fer to the sizing guide to dete to Safety for dogs 18-90 lbs. Ints for Medium Harness: 22 Optional tor that loves to gaze out the wish, scuffs, dirt and infamous polyester to extend protection and door panel, and folds with the polyester to extend protection and door panel, and folds	optional Optional Optional oad trip together. Infinity Loop reduce damaging forces in the termine the correct size for you Double "D" ring connection design. 5" - 28".	Optional Optional Optional webbing design, padded vest, e event of a car collision. Man r dog. Crash-tested at child sasign to affix a leash. Reflective Optional Optional	talls by slipping over the eep it in place. Optional seatbelt grade straps ufactured by Sleepypod® afety seat standards and e strips and logo for improved Optional Optional

Thule[®] Roof Top Tent

① Thick padding and durable polyester shell provides a comfortable resting area for your pet while protecting the cargo and seatback areas from pet hair, nail scratches, accidents and spills. Design includes a foldout bumper protector for additional protection and a zipper to allow for the 60/40 seats to be up or down while in use. The liner is easy to install with durable, adjustable latches that attach to the lower cargo area mounting loops and rear child seat tether points. Adjustable straps securely affix to headrests and Velcro[®] mounting straps attach at various locations for increased stability. LATCH-accessible, machine-washable, and easy to vacuum or wipe down to keep clean. Optional Optional Optional Optional

① Protect your back seat from muddy paws and pet hair while your pet travels with you in padded comfort. This heavy-duty seat protector features a smooth, tailored seat back and quilted seat pad to protect your Subaru. Designed without buckles or straps, installation and removal is quick and easy with removal and reinstallation of the headrests and repositioning of the seatbelt through a Velcro[®] opening in the protector. Water-resistant and LATCH-accessible, the Pet-friendly Padded Seat Protector offers maximum coverage without excess fabric for a tidy appearance, and folds down for easy storage when not in use. The protector is suitable for use in conjunction with child car seats and with rear seat passengers. 60/40 seat functionality compromised when in use.

Optional Optional Optional Optional Optional

Warranties

New Car Limited Wa	rranty			
3 years or 36,000 miles***	3 years or 36,000 miles***	3 years or 36,000 miles***	3 years or 36,000 miles***	3 years or 36,000 miles***
Powertrain Limited \	Warranty			
5 years or 60,000 miles***	5 years or 60,000 miles***	5 years or 60,000 miles***	5 years or 60,000 miles***	5 years or 60,000 miles***
Wear Item Limited W	/arranty			
① Repairs to the following batteries.	items will also be covered und	er Wear Item Limited Warrant	y: brake pads, wiper blade, clu	utch linings, and transmitter
3 years or 36,000 miles***	3 years or 36,000 miles***	3 years or 36,000 miles***	3 years or 36,000 miles***	3 years or 36,000 miles***
Rust Perforation Lin	nited Warranty			
5 years, unlimited mileage	5 years, unlimited mileage	5 years, unlimited mileage	5 years, unlimited mileage	5 years, unlimited mileage
HEV Battery and Per	rformance Warranties			
Not Available	Not Available	Not Available	Not Available	Not Available

¹ Compatible smartphone and application required. The latest app version is required for best performance. Data provided by smartphone is displayed on head unit screen. Some state laws prohibit the operation of handheld electronic devices while operating a vehicle. Smartphone apps should only be launched when vehicle is safely parked. Your wireless carrier's rates may apply.

effectiveness depends on many factors, such as vehicle maintenance, weather, and road conditions. See Owner's Manual for complete details on system operation and limitations.
3 Maximum towing capacity varies by trim level. Trailer brakes may be needed. See your retailer for details.
4 The glass information listed represents calculated reference values and may not represent actual values determined by testing.
5 All SiriusXM services require a subscription, sold separately by SiriusXM after the trial period. Your SiriusXM service will automatically stop at the end of your trial unless you decide to subscribe. If you decide to continue service, the subscription plan chosen will automatically renew and be charged according to your chosen payment method at the then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement & Privacy Policy at www.siriusxm.com for full terms and how to cancel, which includes online methods or calling 1-866-635-2349. Available in the 48 contiguous United States, D.C., and Puerto Rico (with coverage limits and capable receiver). Visit http://www.siriusxm.com/FAQS for most current service area information. Availability of some services and features is subject to device capabilities and location restrictions. All fees, content and features are subject to change. SiriusXM, Pandora and all related logos are trademarks of Sirius XM Radio Inc. and its respective subsidiaries.
6 Activation and required subscription sold separately. Includes trial subscription. See your retailer for details.
7 Internet access is purchased separately through AT&T with monthly, per gigabyte, and unlimited data options available. Existing AT&T customers have the option to add an additional line to their AT&T Mobile Share plan.
8 Automatic Emergency Steering is a system designed to assist the driver. It is not a substitute for safe and attentive driving. Automatic Emergency Steering works in conjunction with and after Pre-Collision Braking has been activated by providing steering support at speeds lower than 50 mph to try and help avoid a collision. See Owner's Manual for complete details, including important system limitations. Availability varies by trim level.
9 Blind-Spot Detection, Lane Change Assist and Rear Cross-Traffic Alert are systems designed to assist the driver by monitoring the rear and side areas of the vehicle during a lane change or reversing and are not a substitute for safe and attentive driving.
10 Reverse Automatic Braking is a system designed to assist the driver by detecting objects to help avoid a possible collision when the vehicle is moving in a reverse direction. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors such as vehicle maintenance, weather and road conditions. Always exercise caution and use vehicle mirrors and Rear-Vision Camera when backing up. See Owner's Manual for complete details on system operation and limitations.
11 Activation with subscription required. Includes a 3-year trial subscription to Safety services and a 6-month trial subscription to Safety and Security services. The Concierge plan can be purchased annually or monthly. A credit card on file will be required for specific packages and for renewal purposes. Features and availability vary by vehicle and trim level. May not be available in all states. See Retailer for details.
12 The Supplemental Restraint System (SRS) (airbags) affords the driver and the front passenger additional protection in moderate to severe frontal and side-impact collisions, and outboard 2nd-row passengers additional protection in moderate to severe side-impact collisions. This system provides supplemental protection only, and seat belts must be worn in order to avoid injuries to out-of-position occupants upon bag deployment and to provide the best combined protection in a serious accident. Children should always be properly restrained in the rear seat.
Legal Disclaimers * MSRP does not include destination and delivery charges, tax, title, and registration fees. Destination and delivery includes handling and inland freight fees and may vary in some states. Prices, specifications, options, features, and models subject to change without notice. Select colors may be subject to an additional charge. See your retailer for more information.

2 EyeSight is a driver-assist system that may not operate optimally under all driving conditions. The driver is always responsible for safe and attentive driving. System

** EPA fuel economy estimates. Actual mileage will vary with driving conditions and your vehicle's condition.
*** Limited warranties are contingent on age and mileage. Whatever comes first concludes the warranty.
† Connected Services depend on factors outside Toyota's control, including an operative telematics device, a cellular connection, GPS signal and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support Service may vary by vehicle and region. Apps and services subject to change at any time without notice. Requires app download/registration and subscription after trial (if applicable). Terms of Use apply. Data usage and charges may apply. To learn about Toyota's connected services data collection, use, sharing and retention practices please visit toyota.com/privacyvts
Safety Connect: Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances.
Remote Connect: Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote start/stop not available on manual transmission-equipped vehicles.
Drive Connect: Services not available in every city or roadway.
Service Connect: Information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.
Wi-Fi Connect: Eligible vehicle and wireless service required. Wi-Fi Connect coverage and service not available everywhere. Valid in the contiguous U.S. and Alaska. Do not drive distracted. Go to att.com/solterra for terms and conditions. Up to 5 devices can be supported using in-vehicle connectivity. The Wi-Fi Connect trial begins at the time of enrollment activation and expires when 30 days or the earlier of 3GB of data is used or the 1-month period ends. Subscription required after trial. Integrated Streaming requires subscription for third-party provider services.
^ Now through July 31, 2025, get 1.9% APR Financing for 63 months on new 2025 Crosstrek Limited, and Sport trims. Manufacturer offer. No down payment required. Monthly payment of \$16.69 per \$1,000 financed. Offer may vary by location. Other rates and payment terms available. Cannot be combined with any other coupon, direct email offer or promotional offer unless allowed by that offer. Financing for well-qualified applicants only. Length of contract is limited. Subject to credit approval, vehicle insurance approval and vehicle availability. Vehicle may not be in stock. Estimated delivery to be determined upon ordering. See participating retailers for details. Must take delivery from retailer stock by July 31, 2025.
^ Now through July 31, 2025, get 1.9% APR Financing for 72 months on a new 2025 Outback. Manufacturer offer. No down payment required. Monthly payment of \$14.71 per \$1,000 financed. Offer may vary by location. Other rates and payment terms available. Cannot be combined with any other coupon, direct/email offer or promotional offer unless allowed by that offer. Financing for well-qualified applicants only. Length of contract is limited. Subject to credit approval, vehicle insurance approval and vehicle availability. Vehicle may not be in stock. Estimated delivery to be determined upon ordering. See participating retailers for details. Must take delivery from retailer stock by July 31, 2025.
† Now through July 31, 2025, get 0% APR Financing for 72 months on a new 2025 Solterra. Manufacturer offer. No down payment required. Monthly payment of \$13.89 per \$1,000 financed. Offer may vary by location. Other rates and payment terms available. Cannot be combined with any other coupon, direct/email offer or promotional offer unless allowed by that offer. Financing for well-qualified applicants only. Length of contract is limited. Subject to credit approval, vehicle insurance approval and vehicle availability. Vehicle may not be in stock. Estimated delivery to be determined upon ordering. See participating retailers for details. Must take delivery from retailer stock by July 31, 2025.

†† Now through July 31, 2025, get 3.9% APR Financing for 48 months on new 2025 Forester Base, Premium, Sport, Wilderness, Limited, and Touring trims. Manufacturer offer. No down payment required. Monthly payment of \$22.53 per \$1,000 financed. Offer may vary by location. Other rates and payment terms available. Cannot be combined with any other coupon, direct/email offer or promotional offer unless allowed by that offer. Financing for well-qualified applicants only. Length of contract is limited. Subject to credit approval, vehicle insurance approval and vehicle availability. Vehicle may not be in stock. Estimated delivery to be determined upon ordering. See participating retailers for details. Must take delivery from retailer stock by July 31, 2025.
Subaru has the utmost respect for the environment and is a proud partner of Leave No Trace. Care was taken not to harm the environment when taking this photo.
The various Subaru house marks, logos, trademarks, and/or names used or featured are owned, registered, and/or exclusively licensed by or from Subaru Corporation or Subaru of America, Inc.
iPod and iPad are registered trademarks of Apple Inc.; Brembo is a registered trademark of Freni Brembo S.p.A.; Alcantara is a registered trademark of Alcantara S.p.A and Alcantara is produced by Toray Group.; Ultrasuede® is a registered trademark of Toray Industries, Inc.; TORSEN LSD® is a registered trademark of JTEKT TORSEN North America, Inc BBS is a registered trademark of BBS Kraftfahrzeugtechnik AG.; Bluetooth is a registered trademark of Bluetooth SIG, Inc.; HomeLink® and the HomeLink® house icon are registered trademarks of Gentex Corporation.; Tom Tom is a registered trademark of TomTom International BV; Aha and Harman Kardon are a registered trademarks of Harman International Industries, Inc.; Android is a trademark of Google Inc.; HD Radio is a registered trademark of iBiquity Digital Corporation.; SiriusXM and SiriusXM NavTraffic are registered trademarks of SiriusXM Satellite Radio, Inc.; iHeart is a registered trademark of Clear Channel.
PLEASE REVIEW THESE IMPORTANT DISCLOSURES.
Subaru of America, Inc. reserves the right to make changes at any time without notice or obligation to the information contained on this Internet site, prices, incentive programs, specifications, equipment, colors, materials, product illustrations and to change or discontinue models. All prices are based upon Manufacturer's Suggested Retail Prices ('MSRP') in U.S. dollars (unless otherwise indicated) and exclude taxes, title fees, licensing, options and destination charges unless specifically included. Retailers are independent businesses and are free to set their own retail prices. All information contained at this Internet site is intended for the USA market only.
Some vehicles shown with accessory or aftermarket equipment.