


2026 Crosstrek Compare Specs



Highlights

| Starting Price | * | | | | | |
|----------------|------------|----------|----------|----------|----------|----------|
| \$26,995 | \$27,995 | \$30,625 | \$33,995 | \$32,995 | \$34,995 | \$33,795 |
| Up to MPG** (| (hwy/city) | | | | | |
| 33/26 | 33/26 | 33/26 | 36/36 | 33/26 | 36/36 | 29/24 |
| Range | | | | | | |
| 547.0 | 547.0 | 547.0 | 597.0 | 547.0 | 597.0 | 481.0 |
| Engine | | | | | | |

2.5-liter SUBARU 2.5-li

| Symmetrical / | All-Wheel Drive | | | | | |
|---------------------------|-----------------|---------------|---------------|----------|---------------|---------------|
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Subaru Multin | nedia System | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Leather-trimm | ed upholstery | | | | | |
| Not Available | Not Available | Not Available | Not Available | Standard | Not Available | Not Available |
| EyeSight [®] Dri | ver Assist Tech | nology | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| 18-inch alloy | wheels | | | | | |
| Not Available | Not Available | Standard | Standard | Standard | Standard | Not Available |
| Engine Ch | assis | | | | | |
| Engine and D | rivetrain | | | | | |
| 2.5-liter DOHO | engine | | | | | |

Not Available

Not Available

Not Available

| 2.5-liter DOHC engine | | | | | | | | |
|--|------------------|------------------|---------------|---------------|---------------|---------------|--|--|
| © 2.5-liter DOHC direct-injection aluminum-alloy 16-valve 4-cylinder horizontally opposed SUBARU BOXER® engine with Dual Active Valve Control System (DAVCS) | | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Power: 180 hp | @ 5,800 rpm | | | | | | | |
| Standard | Standard | Standard | Not Available | Standard | Not Available | Standard | | |
| Torque: 178 lb | o-ft @ 3,700 rpm | | | | | | | |
| Standard | Standard | Standard | Not Available | Standard | Not Available | Standard | | |
| Total hybrid s | ystem net powe | r: 194 hp estima | ted | | | | | |
| Not Available | Not Available | Not Available | Standard | Not Available | Standard | Not Available | | |
| Power: 162 hp @ 5,600 rpm (engine only, hybrid) | | | | | | | | |

Standard

Not Available

Standard

Not Available

| Torque: 154 II | b-ft @ 3,600 - 4,8 | 00 rpm (engine | only, hybrid) | | | |
|---|--|--------------------------------------|------------------------------|------------------------|-----------------------|---------------------|
| Not Available | Not Available | Not Available | Standard | Not Available | Standard | Not Available |
| Permanent ma | agnet AC synchi | ronous motor | | | | |
| Not Available | Not Available | Not Available | Standard | Not Available | Standard | Not Available |
| Maximum out | put: 118 hp (elec | etric propulsion | motor only, hyb | rid) | | |
| Not Available | Not Available | Not Available | Standard | Not Available | Standard | Not Available |
| Maximum toro | que: 199 lb-ft (ele | ectric propulsion | n motor only, hy | brid) | | |
| Not Available | Not Available | Not Available | Standard | Not Available | Standard | Not Available |
| Subaru Intelli | gent Drive (SI-DI | RIVE [®]) | | | | |
| | oles two distinctly differ rol unit (TCU) as well a | | | | the engine control un | it (ECU) and the |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Lineartronic [®] | CVT with Adapt | ive Control, Incl | ine Start Assist | and 8-speed ma | nual mode with | paddle shifters |
| Standard | Standard | Standard | Not Available | Standard | Not Available | Standard |
| Lineartronic [®] speed hybrid- | CVT (Continuall type manual mo | y Variable Trans de with paddle s | smission) with A shifters | daptive Control | , Incline Start As | ssist and 6- |
| Not Available | Not Available | Not Available | Standard | Not Available | Standard | Not Available |
| Maximum tow | ving capacity | | | | | |
| 1,500 pounds | 1,500 pounds | 1,500 pounds | 1,500 pounds | 1,500 pounds | 1,500 pounds | 3,500 pounds |
| Stability and | Traction | | | | | |
| Subaru Symm | netrical All-Whee | el Drive | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Dual-Function | n X-MODE [®] | | | | | |
| | mizes engine output a duce individual wheels | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Hill Descent C | Control (HDC) | | | | | |
| X-MODE [®] also vehicle control. | incorporates Hill Des | cent Control (HDC), v | hich helps to maintai | n a constant vehicle s | speed when traveling | downhill, enhancing |

| | | Standard | Staridard | Staridard | Standard | |
|---|--|---|---|--|---|---|
| Vehicle Dynar | mics Control (VD | OC) | | | | |
| rate, and lateral G | electronic stability con -forces. If VDC detects I/or reduces engine to | s a difference betwee | hat constantly monitor on the driver's intender rehicle path. | r wheel speeds, steer d path and the one th | ing angle, brake pres e vehicle is actually ta | sure, vehicle yaw aking, VDC applies |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Traction Cont | rol System (TCS | () | | | | |
| | porates an all-wheel, as necessary to mainta | | trol system that sense | es a loss of traction ar | nd applies braking for | ce to the slipping |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Active Torque | Vectoring | | | | | |
| Active Torque \ turn-in, more neuti | ectoring works in tandral steering, and highe | dem with VDC by apper cornering limits whi | olying braking power t le turning. | o the inside front whe | el, resulting in better | handling, sharper |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Auto Vehicle | Hold (AVH) | | | | | |
| | | | n place when the vehi king Brake, AVH can h | | | |
| | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| | Standard | Standard | Standard | Standard | Standard | Standard |
| Fuel | Standard y** (hwy/city): 33 | | Standard | Standard | Standard | Standard |
| Fuel | | | Standard Not Available | Standard | Standard Not Available | Standard Not Available |
| Fuel economy Standard | y** (hwy/city): 33 | /26 MPG Standard | | | | |
| Fuel economy Standard Fuel economy | y** (hwy/city): 33, Standard | /26 MPG Standard | | | | |
| Fuel economy Standard Fuel economy Not Available | /** (hwy/city): 33, Standard /** (hwy/city): 36, | /26 MPG Standard /36 MPG Not Available | Not Available | Standard | Not Available | Not Available |
| Fuel economy Standard Fuel economy Not Available Fuel economy | y** (hwy/city): 33, Standard y** (hwy/city): 36, Not Available | /26 MPG Standard /36 MPG Not Available | Not Available | Standard | Not Available | Not Available |
| Fuel economy Standard Fuel economy Not Available Fuel economy Not Available | Standard Standard Standard Not Available Standard Not Available | /26 MPG Standard /36 MPG Not Available /24 MPG Not Available | Not Available Standard Not Available | Standard Not Available | Not Available Standard | Not Available Not Available |
| Fuel economy Standard Fuel economy Not Available Fuel economy Not Available | Standard Standard Standard Not Available Standard S | /26 MPG Standard /36 MPG Not Available /24 MPG Not Available | Not Available Standard Not Available | Standard Not Available | Not Available Standard | Not Available Not Available |
| Fuel economy Standard Fuel economy Not Available Fuel economy Not Available Fuel requirem Standard | Standard Not Available Not Available Standard Standa | /26 MPG Standard /36 MPG Not Available /24 MPG Not Available asoline (87 octa | Not Available Standard Not Available | Standard Not Available Not Available | Not Available Standard Not Available | Not Available Not Available Standard |

Standard

Standard

Standard

Standard

Standard

Standard

Standard

Chassis Electric Power-Assisted Rack and Pinion Steering (EPAS) ① Electric power-assisted, quick-ratio rack-and-dual-pinion steering (EPAS), turning circle: 35.44 feet Standard Standard Standard Standard Standard Standard Not Available Electric Power-Assisted Rack and Pinion Steering (EPAS) ① Electric power-assisted, quick-ratio rack-and-dual-pinion steering (EPAS), turning circle: 34.78 feet Not Available Not Available Not Available Standard Not Available Not Available Not Available 4-wheel independent raised suspension ① Front: Strut-type with lower L-arm, stabilizer bar. Rear: Double-wishbone with lateral link pillow-ball joint bushing, stabilizer bar. Standard Standard Standard Standard Standard Standard Standard 4-wheel disc brakes ① 4-wheel disc brakes, ventilated front, solid rear. 4-channel, 4-sensor ABS with Electronic Brake-force Distribution (EBD), 12.4 inches/11.2 inches front/rear Standard Standard Standard Not Available Standard Not Available Standard 4-wheel disc brakes ① 4-wheel disc brakes, ventilated front, solid rear. 4-channel, 4-sensor ABS with Electronic Brake-force Distribution (EBD), 12.6 inches/11.2 inches front/rear Not Available Standard Not Available Not Available Standard Not Available Not Available **Brake Assist** ① When emergency braking is detected by how quickly the brake pedal is pressed, maximum brake pressure is immediately applied.

Standard

(I) If both brake and accelerator pedals are pressed simultaneously, the system reduces the operation of the accelerator pedal to help prevent

Standard

Standard

Standard

Standard

Standard

Standard

Standard

Standard

Standard

Brake Override System

unintentional vehicle acceleration.

Standard

Standard

Standard

Standard

Dimensions

| Length/Width | /Height | | | | | |
|--------------------------------------|--|--|--|--|--|---|
| 176.4 inches/70.9 inches/62.8 inches | 176.4 inches/70.9 inches/63 inches (with roof rails) | 176.4 inches/71.7 inches/63.6 inches (with roof rails) |
| Wheelbase | | | | | | |
| 105.1 inches | 105.1 inches | 105.1 inches | 105.1 inches | 105.1 inches | 105.1 inches | 104.9 inches |
| Track (front/re | ear) | | | | | |
| 61.2 inches/61.2 inches | 61.2 inches/61.2 inches | 61.2 inches/61.2 inches | 61.2 inches/61.2 inches | 61.2 inches/61.2 inches | 61.2 inches/61.2 inches | 60.9 inches/60.8 inches |
| Base curb we | ight | | | | | |
| 3,296 pounds | 3,304 pounds | 3,332 pounds | 3,677 pounds | 3,349 pounds | 3,662 pounds | 3,369 pounds |
| Ground cleara | ance (at base cu | rb weight) | | | | |
| 8.7 inches | 8.7 inches | 8.7 inches | 8.7 inches | 8.7 inches | 8.7 inches | 9.3 inches |
| Wheels and T | ires | | | | | |
| 17 x 7.0-inch | aluminum-alloy | wheels, dark gra | ay finish | | | |
| Standard | Not Available |
| 17 x 7.0-inch | aluminum-alloy | wheels, dark gra | ay with machine | finish | | |
| Not Available | Standard | Not Available |
| 17 x 7.0-inch | aluminum-alloy | wheels, matte-b | lack finish | | | |
| Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | Standard |
| 18 x 7.0-inch | aluminum-alloy | wheels, dark gra | ay finish | | | |
| Not Available | Not Available | Standard | Not Available | Not Available | Not Available | Not Available |
| 18 x 7.0-inch | aluminum-alloy | wheels, dark gra | ay finish, hybrid | type | | |
| Not Available | Not Available | Not Available | Standard | Not Available | Not Available | Not Available |

| 18 X 7.0-inch a | aluminum-alloy [,] | wheels, dark gra | y with machine | finish | | |
|---|--|--|--|--|-----------------------------------|---------------------------------|
| Not Available | Not Available | Not Available | Not Available | Standard | Not Available | Not Available |
| 18 x 7.0-inch a | aluminum-alloy | wheels, dark gra | y with machine | finish, hybrid ty | pe | |
| Not Available | Not Available | Not Available | Not Available | Not Available | Standard | Not Available |
| 225/60 R17 99 | H all-season tire | es | | | | |
| Standard | Standard | Not Available | Not Available | Not Available | Not Available | Not Available |
| 225/60 R17 99 | T all-terrain tires | S | | | | |
| Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | Standard |
| 225/55 R18 98 | V all-season tire | es | | | | |
| Not Available | Not Available | Standard | Standard | Standard | Standard | Not Available |
| Temporary us | e T145/80 D17 s | pare tire | | | | |
| Standard | Standard | Standard | Not Available | Standard | Not Available | Standard |
| Features | | | | | | |
| LED Steering | | W 14 (0DII) | | | | |
| | Responsive Hea | adlights (SRH) | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Standard LED fog lights | Standard | | Standard | Standard | Standard | Standard |
| | Standard | | Standard | Standard Standard | Standard Standard | Standard Not Available |
| LED fog lights Not Available | Standard | Standard | | | | |
| LED fog lights Not Available | Standard Standard | Standard | | | | |
| LED fog lights Not Available LED fog lights | Standard Standard Standard Standard | Standard Standard | Standard | Standard | Standard | Not Available |
| Not Available LED fog lights Not Available | Standard Standard Standard Standard | Standard Standard | Standard | Standard | Standard | Not Available |
| LED fog lights Not Available LED fog lights Not Available Roof spoiler | Standard Standard Standard Standard Not Available Standard | Standard Standard Not Available | Standard Not Available | Standard Not Available | Standard Not Available | Not Available Standard |
| LED fog lights Not Available LED fog lights Not Available Roof spoiler Standard | Standard Standard Standard Standard Not Available Standard | Standard Standard Not Available | Standard Not Available | Standard Not Available | Standard Not Available | Not Available Standard |
| LED fog lights Not Available LED fog lights Not Available Roof spoiler Standard Black folding Standard | Standard Standard Standard Standard Not Available Standard Side mirrors Not Available | Standard Standard Not Available Standard | Standard Not Available Standard Not Available | Standard Not Available Standard Not Available | Standard Not Available Standard | Not Available Standard Standard |

| Gloss black-finish folding side mirrors with integrated turn signals | | | | | | | | | |
|---|--------------------|------------------------|--------------------|-----------------|---------------|---------------|--|--|--|
| Not Available | Not Available | Standard | Standard | Not Available | Not Available | Not Available | | | |
| Low-luster black finish folding side mirrors with integrated turn signals | | | | | | | | | |
| Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | Standard | | | |
| Body-color do | oor handles | | | | | | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| Windshield w | iper de-icer and | heated side mir | rors (All-Weathe | r Package) | | | | | |
| Not Available | Optional | Standard | Standard | Standard | Standard | Standard | | | |
| Two-speed wi | ndshield wipers | with variable-in | termittent mode | and mist featur | е | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| Single-speed | rear window wip | er with fixed-int | ermittent mode | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| Roof cross ba | r mounting poin | nts | | | | | | | |
| Standard | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | | | |
| Raised roof ra | ails, black finish | | | | | | | | |
| i 165 pounds dyr | namic maximum capa | city, 700 pounds stati | c maximum capacity | | | | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Not Available | | | |
| Raised roof ra | ails, black finish | with Anodized (| Copper-finish ac | cents | | | | | |
| 165 pounds dyr | namic maximum capa | city, 700 pounds stati | c maximum capacity | | | | | | |
| Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | Standard | | | |
| Wheel arch ar | nd lower body cl | adding | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | | |
| Power tilt/slid | ing moonroof | | | | | | | | |
| i 95% UV light-re | 5 educing | | | | | | | | |
| Not Available | Optional | Not Available | Standard | Not Available | Optional | Optional | | | |

Interior

Dimensions

| 11 1 //- | (| | | | | |
|--|---|---|--|--|---|---|
| Headroom (fro | ont/rear) | | | | | |
| 39.8 inches/38.0 inches | 39.8 inches/38.0 inches (38.7 inches/38.0 inches with moonroof) | 39.8 inches/38.0 inches (38.7 inches/38.0 inches with moonroof) | 38.7 inches/37.6 inches | 39.8 inches/38.0 inches | 39.8 inches/37.6 inches (38.7 inches/37.6 inches with moonroof) | 39.8 inches/38.0 inches (38.7 inches/38.0 inches with moonroof) |
| Legroom (from | nt/rear) | | | | | |
| 42.9 inches/36.5 inches | 42.9 inches/36.5 inches | 42.9 inches/36.5 inches | 42.9 inches/36.7 inches | 42.9 inches/36.5 inches | 42.9 inches/36.7 inches | 42.9 inches/36.5 inches |
| Shoulder room | m (front/rear) | | | | | |
| 56.8 inches/55.3 inches | 56.8 inches/55.3 inches | 56.8 inches/55.3 inches | 56.8 inches/55.3 inches | 56.8 inches/55.3 inches | 56.8 inches/55.3 inches | 56.8 inches/55.3 inches |
| Passenger vo | lume | | | | | |
| 100.5 cubic feet | 100.5 cubic feet (99 cubic feet with moonroof) | 100.5 cubic feet (99 cubic feet with moonroof) | 98.8 cubic feet | 100.5 cubic feet | 100.2 cubic feet (98.8 cubic feet with moonroof) | 100.5 cubic feet (99 cubic feet with moonroof) |
| Cargo volume | | | | | | |
| 19.9 cubic feet | 19.9 cubic feet | 19.9 cubic feet | 18.6 cubic feet | 19.9 cubic feet | 18.6 cubic feet | 20.0 cubic feet |
| Maximum car | go volume | | | | | |
| 54.7 cubic feet with rear seatbacks lowered | 54.7 cubic feet with rear seatbacks lowered | 54.7 cubic feet with rear seatbacks lowered | 50.6 cubic feet with rear seatbacks lowered | 54.7 cubic feet with rear seatbacks lowered | 50.6 cubic feet with rear seatbacks lowered | 54.9 cubic feet with rear seatbacks lowered |
| Seating and T | rim | | | | | |
| Manually adiu | ıstable front sea | ts | | | | |
| | | | divertable from a con- | | | |
| ⊕ 6-way manualiy | adjustable driver's se | eat. 4-way manualiy a | djustable front-passe | nger's seat. | | |
| Standard | Standard | Standard | Not Available | Not Available | Not Available | Standard |
| Power driver's | s seat | | | | | |
| 10-way power a | adjustable driver's sea | at. 4-way manually ad | justable front-passenç | ger's seat | | |
| Not Available | Optional | Not Available | Standard | Standard | Standard | Optional |

| Heated front s | eats (All-Weath | er Package) | | | | |
|---------------------------|-----------------------|-----------------------|-----------------------|-------------------------------------|-----------------------|-----------------------------|
| Not Available | Optional | Standard | Standard | Standard | Standard | Standard |
| Heated steering | ng wheel | | | | | |
| Not Available | Not Available | Not Available | Not Available | Standard | Standard | Standard |
| 60/40-split flat | -folding rear sea | atbacks | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Leather-wrapp | oed steering who | eel | | | | |
| Not Available | Not Available | Standard | Standard | Standard | Standard | Standard |
| Leather-wrapp | oed shifter hand | le | | | | |
| Not Available | Not Available | Standard | Standard | Standard | Standard | Standard |
| Cloth upholsto | ery | | | | | |
| Standard | Standard | Not Available | Not Available | Not Available | Not Available | Not Available |
| Sport cloth up | holstery w/ yell | ow accents and | contrast stitchir | ng | | |
| Not Available | Not Available | Standard | Standard | Not Available | Not Available | Not Available |
| Leather-trimm | ed upholstery w | ı/ orange contra | st stitching | | | |
| Not Available | Not Available | Not Available | Not Available | Standard | Not Available | Not Available |
| StarTex [®] dura | ble upholstery | | | | | |
| Not Available | Not Available | Not Available | Not Available | Not Available | Standard | Standard |
| Instrumentation | on | | | | | |
| Instrument clu | uster with speed | ometer and tack | nometer | | | |
| i Analog speedon | meter and tachometer | with 4.2-inch color L | CD display | | | |
| Standard | Standard | Standard | Not Available | Standard | Not Available | Standard |
| 12.3-inch conf | figurable fully-di | gital instrument | cluster | | | |
| i 12.3-inch digital | gauge cluster with in | formation displays fo | r hybrid system opera | tion, EyeSight [®] , naviç | gation, and Apple Mar | os [®] integration |
| Not Available | Not Available | Not Available | Standard | Not Available | Standard | Not Available |

Amenities

Convenience Features

| Keyless Acce | ss with Push-Bเ | ıtton Start | | | | | | |
|---|-----------------------|----------------------|--------------------------------|-----------------------|---------------|---------------|--|--|
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Auto-on/off he | eadlights | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Power front and rear windows with driver and front passenger auto-up/down | | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Power side m | irrors | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Electronic cru | ise control | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| 3-spoke steer | ing wheel with in | ntegrated contro | ols | | | | | |
| i 3-spoke steerin | g wheel with audio sy | stem, Bluetooth, and | EyeSight [®] System A | daptive Cruise Contro | ol buttons | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Manually adju | stable tilt/telesc | oping steering o | column | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Lineartronic [®] | CVT paddle shi | fters | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Illuminated fro | ont USB-A input | port | | | | | | |
| Standard | Not Available | Not Available | Not Available | Not Available | Not Available | Not Available | | |
| Illuminated fro | ont USB-A and l | JSB-C input port | s | | | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard | | |
| Illuminated re | ar USB-A and U | SB-C charging p | orts | | | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard | | |

| Dual cup hold | ders in center con | sole | | | | |
|-------------------|---|-----------------------|---------------------|-----------------------|------------------------------------|-----------------------------|
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Single bottle | holder in each do | or panel | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Folding rear s | seat armrest with | dual cup holde | rs | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard |
| Sun visors wi | th concealed illu | minated vanity | mirrors | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard |
| Center conso | le with armrest lie | d | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Illuminated gl | ove box | | | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard |
| Cargo-area w | ith 2 grocery bag | hooks and 4 tie | e-down hooks | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Rear cargo tra | ay | | | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard |
| Retractable a | nd removable car | go-area cover | | | | |
| Not Available | Not Available | Standard | Standard | Standard | Standard | Standard |
| Climate Contr | ·ol | | | | | |
| Dual-zone aut | tomatic climate c | ontrol system | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| ① Subaru dual 7.0 | 7.0-inch Multimed | em with high-resoluti | on LCD touch-screen | multi-touch gesture c | lisplays, Apple CarPla | ay [®] and Android |
| | , SiriusXM ^{®6} and Siriu and text messaging co | | | Radio", USB-A input | oort, Bluetooth [®] audio | streaming and |

hands-free phone and text messaging connectivity, and 3.5mm auxiliary jack

Standard Not Available Not Available Not Available Not Available Not Available Not Available

^③ Subaru 11.6-inch Multimedia Plus System with high-resolution LCD multi-touch-gesture display, wireless Apple CarPlay[®] and Android Auto™ integration , SiriusXM and SiriusXM Travel Link , NFC technology, AM/FM stereo, HD Radio , USB-A and USB-C input ports, Bluetooth audio streaming and hands-free phone and text messaging connectivity, and 3.5mm auxiliary jack Not Available Standard Standard Not Available Standard Not Available Standard Subaru 11.6-inch Multimedia Navigation System ① Subaru 11.6-inch Multimedia Navigation System: voice-activated 11.6-inch multi-touch gesture high-resolution GPS navigation system with wireless Apple CarPlay[®] and Android Auto[™] integration², SiriusXM[®] Traffic[®], and SiriusXM[®] Travel Link[®]⁷, NFC technology, AM/ FM stereo, HD Radio[®], USB-A and USB-C input ports, Bluetooth[®] audio streaming and hands-free phone and text messaging connectivity, and 3.5mm auxiliary jack Not Available Not Available Standard Not Available Not Available Standard Not Available 4 speakers Not Available Standard Not Available Not Available Not Available Not Available Not Available 6 speakers Not Available Standard Standard Standard Standard Not Available Standard Harman Kardon® premium audio system ① Includes 10 Harman Kardon® speakers and 432-watt-equivalent Harman Kardon amplifier Not Available Not Available Not Available Not Available Not Available Standard Optional 4G LTE Wi-Fi capability Not Available Standard Standard Standard Standard Standard Standard Safety **Active Features** Subaru Symmetrical All-Wheel Drive Standard Standard Standard Standard Standard Standard Standard EyeSight® Driver Assist Technology ① Advanced Adaptive Cruise Control with Lane Centering, Pre-collision Braking, Lane Departure and Sway Warning, Lane Keep Assist, and Automatic Emergency Steering

Standard

Standard

Standard

Standard

Subaru 11.6-inch Multimedia Plus System

Standard

Standard

Standard

| Ilind-Spot Detection with Lane Change Assist 1, Emergency Lane Keep Assist, and Rear Cross-Traffic Lert 2 lot Available Optional Not Available Standard Sta | - | | | | | | |
|--|--------------------------|-------------------------|------------------------|-------------------------|--------------------------|----------------------|--------------------|
| riverFocus® Distraction Mitigation System for Available Not Available Not Available Not Available Standard Standard Not Available Not Available Not Available Not Available Standard Standard Not Available Ilind-Spot Detection with Lane Change Assist Ilind-Spot Detection with Lane Assist Ilind-Spot Detection with Lane Assist Ilind-Spot Detection with Lane Assist Ilind-Spot Detection With Assistance Ilind-Spot Detection With Assistance Ilind-Spot Detection With Assistance Ilind-Spot Detection Ilind-Spot Detection Ilind-Spot Detection Ilind-Spot Detection Ilind-Spot Detection Ilind-Spot Detection Ilin | | | on with EyeSight to a | utomatically switch the | headlights between | the high and low set | tings when an |
| to Available Not Available Not Available Not Available Not Available Standard Standard Not Available Ind-Spot Detection with Lane Change Assist 11, Emergency Lane Keep Assist, and Rear Cross-Traffic later 12 left 12 left 14 left 15 left Available Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Ilind-Spot Detection with Lane Change Assist 1, Emergency Lane Keep Assist, and Rear Cross-Traffic Left 2 Iot Available Optional Not Available Standard Sta | DriverFocus [®] | Distraction Miti | gation System | | | | |
| Lind-Spot Detection with Lane Change Assist , Emergency Lane Keep Assist, and Rear Cross-Traffic left left 1 tot Available Optional Not Available Standard Standard Standard Standard Standard Standard Standard Province Automatic Braking (RAB) Reverse Automatic Braking monitors the area behind the vehicle while reversing. If an obstacle is detected, the system can automatically a brakes to avoid a collision. Iot Available Not Available Not Available Not Available Standard S | Not Available | Not Available | Not Available | Not Available | Standard | Standard | Not Availabl |
| everse Automatic Braking (RAB) Reverse Automatic Braking monitors the area behind the vehicle while reversing. If an obstacle is detected, the system can automatically all e brakes to avoid a collision. Intervention of Available Not Available Not Available Not Available Standard | - | etection with Lar | ne Change Assis | st , Emergency I | _ane Keep Assis | st, and Rear Cro | oss-Traffic |
| everse Automatic Braking (RAB) Preverse Automatic Braking monitors the area behind the vehicle while reversing. If an obstacle is detected, the system can automatically a e brakes to avoid a collision. Interverse Automatic Braking monitors the area behind the vehicle while reversing. If an obstacle is detected, the system can automatically a e brakes to avoid a collision. Interverse Automatic Braking monitors the area behind the vehicle while reversing. If an obstacle is detected, the system can automatically a e brakes to avoid a collision. Interverse Automatic Braking monitors the area behind the vehicle while reversing. If an obstacle is detected, the system can automatically a e brakes to avoid a collision. Interverse Automatic Braking monitors the area behind the vehicle while reversing. If an obstacle is detected, the system can automatically a e brakes to avoid a collision. Interverse Automatic Braking monitors the area behind the vehicle while reversing. If an obstacle is detected, the system can automatically a e brakes to avoid a collision. Interverse Automatic Braking monitors the area behind the vehicle while reversing. If an obstacle is detected, the system can automatically a e brakes to avoid a collision. Interverse Automatic Braking Standard Interverse Automatic Braking | Not Available | Optional | Not Available | Standard | Standard | Standard | Standard |
| ebrakes to avoid a collision. Iot Available Not Available Not Available Not Available Standard Standa | Reverse Auto | matic Braking (f | | | | | |
| ehicle Dynamics Control (VDC) Standard | | | the area behind the | vehicle while reversing | g. If an obstacle is det | ected, the system ca | an automatically a |
| Standard Sta | Not Available | Not Available | Not Available | Not Available | Standard | Standard | Standard |
| -wheel Anti-lock Braking System (ABS) 2 4-wheel ABS with Electronic Brake-force Distribution (EBD) Standard S | Vehicle Dynai | mics Control (VI | DC) | | | | |
| Standard Sta | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Standard Sta | 4-wheel Anti-l | ock Braking Sys | stem (ABS) | | | | |
| Standard Sta | i 4-wheel ABS w | ith Electronic Brake-fo | orce Distribution (EBD | 0) | | | |
| Standard Sta | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Standard Sta | Brake Assist | | | | | | |
| Standard Sta | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| ire Pressure Monitoring System (TPMS) Standard Standard Standard Standard Standard Standard Standard ED Daytime Running Lights (DRL) Standard Standard Standard Standard Standard Standard Standard Standard | Brake Overrid | le System | | | | | |
| Standard Standard Standard Standard Standard Standard Standard Standard ED Daytime Running Lights (DRL) Standard Standard Standard Standard Standard Standard Standard Standard Standard | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| ED Daytime Running Lights (DRL) Standard Standard Standard Standard Standard Standard Standard 60-degree Surround View Monitor | Tire Pressure | Monitoring Sys | tem (TPMS) | | | | |
| Standard Standard Standard Standard Standard Standard Standard Standard 60-degree Surround View Monitor | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| 60-degree Surround View Monitor | LED Daytime | Running Lights | (DRL) | | | | |
| | Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| ot Available Not Available Not Available Not Available Not Available Optional Not Availab | 360-degree Sı | urround View Mo | onitor | | | | |
| | Not Available | Not Available | Not Available | Not Available | Not Available | Optional | Not Availab |

High Beam Assist

| Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
|---|-----------------------|--------------------------|-----------------------|--|----------|----------|--|
| Passive Featur | res | | | | | | |
| MySubaru [®] Co | onnected Service | 14 ces | | | | | |
| | | | | ide Assistance, Mainterek Limited only), Ren | | | |
| Not Available | Standard | Standard | Standard | Standard | Standard | Standard | |
| Subaru advanc | ced frontal airb | ag system (SRS) | 15 | | | | |
| i Dual-stage deplo | oyment driver and fro | ont passenger front air | rbags (SRS) | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| Side-curtain ai | irbags (SRS) | | | | | | |
| i Side-curtain airb | ags with rollover ser | nsor protecting front ar | nd rear outboard occu | upants (SRS) | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| Seat-mounted front seat side pelvis/torso airbags (SRS) | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| Rear-seat side | | 5 | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| Driver's knee a | airbag (SRS) | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| Passenger sea | at cushion airba | ıg (SRS) | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| Whiplash-redu | cing front seat | s with height-adj | justable head re | straints | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | |
| Three individual rear-seat head restraints | | | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard | |

Rear-Vision Camera

| neigiit-aujust | | | | | | |
|--|---|--|---|--|--|--|
| (i) Height-adjustat | ole 3-point front seatbo | elts with pretensioners | and force limiters, 3 | -point seatbelts at rea | ar seating positions | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Rear child-saf | ety door locks | | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| LATCH syster | n | | | | | |
| (i) Lower Anchors | and Tethers for Child | ren | | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| Security | | | | | | |
| Keyless entry | system | | | | | |
| i Keyless entry s | ystem and anti-theft s | ecurity system with er | ngine immobilizer | | | |
| Standard | Standard | Standard | Standard | Standard | Standard | Standard |
| ptional | | | | | | |
| ptional Packages | | er's seat • All-We | eather Package | • Blind-Spot Det | ection/Rear Cro | ss-Traffic |
| Packages Power moonr | oof • Power drive | er's seat • All-We | _ | | | |
| Packages Power moonr Alert Power tilt/sliding | oof • Power drive | | _ | | | |
| Packages Power moonr 12 Alert Power tilt/sliding Detection/Rear Cr | g glass moonroof; All oss-Traffic Alert Optional | l-Weather Package: h | eated front seats, wir Not Available | ndshield wiper de-icer | , and heated side miri | rors; Blind-Spot |
| Packages Power moonr 12 Alert Power tilt/sliding Detection/Rear Cr Not Available Power moonr | g glass moonroof; All oss-Traffic Alert Optional oof • 360-degree | l-Weather Package: h | eated front seats, wir Not Available Monitor | ndshield wiper de-icer | , and heated side miri | rors; Blind-Spot |
| Packages Power moonr 12 Alert Power tilt/sliding Detection/Rear Cr Not Available Power moonr | g glass moonroof; All oss-Traffic Alert Optional oof • 360-degree | Not Available Surround View | eated front seats, wir Not Available Monitor | ndshield wiper de-icer | , and heated side miri | rors; Blind-Spot Not Available |
| Packages Power moonr 12 Alert Power tilt/sliding Detection/Rear Cr Not Available Power moonr Power tilt/sliding Not Available | g glass moonroof; All Optional oof • 360-degree g glass moonroof; 360 Not Available | Not Available Surround View D-degree Surround Vie | eated front seats, wir Not Available Monitor ew Monitor Not Available | ndshield wiper de-icer Not Available Not Available | , and heated side min Not Available Optional | rors; Blind-Spot Not Available |
| Packages Power moonr 12 Alert Power tilt/sliding Detection/Rear Cr Not Available Power moonr Power tilt/sliding Not Available Power moonr | g glass moonroof; All oss-Traffic Alert Optional oof • 360-degree g glass moonroof; 360 Not Available oof • Power drive | Not Available Surround View O-degree Surround Vie Not Available | eated front seats, wir Not Available Monitor w Monitor Not Available an Kardon® prei | Not Available Not Available Not Available | Not Available Optional | rors; Blind-Spot Not Available Not Available |

Height-adjustable 3-point front seatbelts

| Auto-Dimming Mirror with Compass and HomeLink® | | | | | | | | |
|--|-------------------------|---|-----------------------|---|-----------------------|---------------------|--|--|
| ① This upgraded auto-dimming mirror detects glare and darkens automatically to protect your vision, while featuring an 8-point digital compass. Three backlit HomeLink [®] buttons can be programmed to operate most garage doors, security gates, home lighting and more. Can also provide you with the last status of your garage door (open or closed) if programmed to a compatible opener featuring two-way communication. | | | | | | | | |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | | |
| Auto-Dimming | Exterior Mirror | with Approach | Light | | | | | |
| ① Enhance nighttime driving safety by adding the Auto-Dimming Exterior Mirrors with Approach Light. Upon approaching the vehicle or unlocking your doors with the keyless entry system, LED lights located behind the Subaru logo in each exterior mirror will illuminate the ground next to and towards the rear of the vehicle. During nighttime driving, the Exterior Auto-Dimming Mirrors will reduce headlight glare by dimming in unison with the Auto-Dimming (Interior) Mirror, creating a safer driving experience. Dimming level is regulated by the level of light detected from the Auto-Dimming (Interior mirror). Requires Auto-Dimming (Interior) Mirror. | | | | | | | | |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | | |
| First Aid Kit | | | | | | | | |
| | sors, tweezers, an en | | | es an assortment of se re. Contents are packa | | | | |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | | |
| Rear Bumper | Cover | | | | | | | |
| i Helps protect the | e upper surface of the | e painted bumper fron | n scratches and dings | ò. | | | | |
| Optional | Optional | Optional | Optional | Optional | Not Available | Not Available | | |
| Rear Bumper Cover - Wilderness | | | | | | | | |
| i Helps protect the | e upper surface of the | e painted bumper fron | n scratches and dings | S. | | | | |
| Not Available | Not Available | Not Available | Not Available | Not Available | Optional | Optional | | |
| Footwell Illum | ination Kit | | | | | | | |
| Illumination Kit is in | | icle's light manageme | | nce of your Subaru win and dim in conjunction | | | | |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional | | |
| Rear Gate Ligi | ht | | | | | | | |
| from the deck lid di designed specifical | rectly in front of, and | into the cargo area. L sstrek. Replaces an e | ighting automatically | D lighting. When the verturns off when the vertor seamless installation | icle hatch is closed. | Integrated solution | | |
| Optional | Optional | Optional | Optional | Optional | Standard | Standard | | |
| Thule [®] Awning | g - Roof Mounte | d | | | | | | |

① Seamlessly integrates with your Subaru to provide shelter from the sun and rain. The awning features high strength fabric with an exclusive system for perfect canopy tension, and integrated telescopic support legs to help quickly setup and adjust to the correct height. When it's time to drive, easily stow and protect everything in a sleek, durable and lightweight aluminum case. Integrated legs and tension arms allow for simple,

| one-person setup. Incl Suitable for use on vel ground. When used or Subaru Lifestyle roofto | nicles with a crossbar n a hard surface, weig | set. Includes locking | adapter kit for mounti | ng to the crossbars a | nd stakes to secure th | e legs to the |
|--|---|--|---|---|--|--|
| Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Thule [®] Bike Carr | ier - Hitch Moun | ted - 2 bikes | | | | |
| Manufactured by The The anti-sway cages p Subaru and designed of vehicle access. Intercapacity. Requires 2-ir your state regarding lice. | orevent bike-to-bike are to properly attach to the grated locking cable a nch Hitch Adapter. To | nd bike-to-vehicle con he Subaru Genuine T and locking hitch pin lo | tact and help absorb or railer Hitch. Arms fold ock the bike to the car | road shock for frame down when not in us rier and carrier to the | protection. The carrier e, and rack pivots bac vehicle. Two bike, 70 | is unique to kwards for rear lbs. total weight |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Thule [®] Cargo Ca | rrier | | | | | |
| Manufactured by Th loading and unloading box capacity and the C accessories require Cr | from either side of the Quick-Grip™ mounting | e vehicle. The low-pro g system allows for an | file, aerodynamic des easy, tool-free install | sign provides increase lation and removal. M | ed garage access with | out sacrificing |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Thule [®] Roof Top | Tent | | | | | |
| ① A modern shape an gear. Features panora comfort. Lockable mouprotection – heavy rair door, window, and four the elements when the as a critical support to Suitable for use on Suiroof load limit. Quick a camping adventure! O 40.2". Weight of tent: 1 | mic skylights and win unting brackets secure, rain protection with r skylights feature a be tent is stowed on top stabilize the weight o baru vehicles equippend easy deployment ipen dimensions: 95" | dows to help keep you e the tent to the Thule visibility through wind ug screen and water- o of the vehicle. Teleso f the tent and its occu- ed with factory raised in 3 minutes or less: u | u cool and the tent we ® Crossbar Set – Aerows and skylights, an resistant polyester paracoping aluminum ladd pants. 2-3 person cap roof rails and adequate nzip the travel cover, | ell ventilated, and a du o Extended. Removal d ready-to-deploy mo nel for privacy. Zipper ler allows easy acces pacity: sleeps 2 adults the roof capacity. Consumfold the base, and | ual-layer foam mattres ble rain cover with 3 m de. Six dual-zippered red travel cover protect is to the rooftop tent are and 1 child, or 2 adult bult vehicle owner's ma secure the ladder to b | s for increased nodes of panels for the ts the tent from nd functions ts comfortably. anual for total regin your |
| Not Available | Optional | Optional | Optional | Optional | Optional | Optional |
| Trailer Hitch | | | | | | |
| i Subaru hitches are at 1,500 lbs. towing ca weight. Trailer hitch reTrailer brakes may be Under Guard – Rear. | pacity, 150 lbs. tongu quires hitch and harn | le weight. Trailer Hitch ess for proper operation | n for Crosstrek Wilder on and safety complia | ness rated at 3,500 lb ince. Hitch ball not inc | s. towing capacity, 35 cluded. Ball Mount sol | 0 lbs. tongue d separately. |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| Collapsible Pet K | Kennel - Medium | | | | | |
| i) Portable, compact a making it ideal for trave to-use alternative to cu cargo area with four in to carry your pet's perswarranty through Thule | el and for everyday tra umbersome metal car cluded adjustable stra sonal cargo. Measure | ansport. Constructed or riers. Designed with the aps and carabiner hoo as 32" L x 23" W x 23" | of durable, black polyonee large integrated a bks. Includes carrying H. The Collapsible Pe | ester fabric and a ster zippered openings for handle to easily trans et Kennel, manufactur | el tube frame, the ken easy pet access and sport when not in use a | nel is an easy- secures in the and two pockets |
| Optional | Optional | Optional | Optional | Optional | Optional | Optional |
| | | | | | | |

Pet Rear Door Protector

① For your furry companion that loves to gaze out the window, the lightweight and durable Pet Rear Door Protector helps protect your door panel from scratches, nail punctures, scuffs, dirt and infamous dog drool. Manufactured with a premium, durable design to seamlessly fit the contours of your door, and heavy-duty polyester to extend protection to the entire door panel. The protector is easy to install and remove with three clips that insert between the window and door panel, and folds in half to stow when not in use. Comes in a set of two. Not intended for use with human passengers in the back seat. Not recommended for use with aftermarket rear window tint.

Optional Optional Optional Optional Optional Optional

Pet-friendly Padded Cargo Liner

① Thick padding and durable polyester shell provides a comfortable resting area for your pet while protecting the cargo and seatback areas from pet hair, nail scratches, accidents and spills. Design includes a foldout bumper protector for additional protection and a zipper to allow for the 60/40 seats to be up or down while in use. The liner is easy to install with durable, adjustable latches that attach to the lower cargo area mounting loops and rear child seat tether points. Adjustable straps securely affix to headrests and Velcro® mounting straps attach at various locations for increased stability. LATCH-accessible, machine-washable, and easy to vacuum or wipe down to keep clean.

Optional Optional Optional Optional Optional Optional

Pet-friendly Padded Seat Protector

① Protect your back seat from muddy paws and pet hair while your pet travels with you in padded comfort. This heavy-duty seat protector features a smooth, tailored seat back and quilted seat pad to protect your Subaru. Designed without buckles or straps, installation and removal is quick and easy with removal and reinstallation of the headrests and repositioning of the seatbelt through a Velcro[®] opening in the protector. Water-resistant and LATCH-accessible, the Pet-friendly Padded Seat Protector offers maximum coverage without excess fabric for a tidy appearance, and folds down for easy storage when not in use. The protector is suitable for use in conjunction with child car seats and with rear seat passengers. 60/40 seat functionality compromised when in use.

Optional Optional Optional Optional Optional Optional Optional

Warranties

New Car Limited Warranty

3 years or 3 years or

Powertrain Limited Warranty

5 years or 60,000 miles*** 60,000 miles*** 60,000 miles*** 60,000 miles*** 60,000 miles***

Wear Item Limited Warranty

① Repairs to the following items will also be covered under Wear Item Limited Warranty: brake pads, wiper blade, clutch linings, and transmitter batteries.

3 years or 3 years or

Rust Perforation Limited Warranty

5 years, unlimited 5 years, unli

Not Available Not Available Not Available 8 years or Not Available 8 years or Not Available 100,000 miles*** 100,000 miles*** 1 Based on EPA-estimated hwy fuel economy and a full tank of fuel. Actual mileage and range may vary. 2 Compatible smartphone and application required. The latest app version is required for best performance. Data provided by smartphone is displayed on head unit screen. Some state laws prohibit the operation of handheld electronic devices while operating a vehicle. Smartphone apps should only be launched when vehicle is safely parked. Your wireless carrier's rates may apply. 3 EyeSight is a driver-assist system that may not operate optimally under all driving conditions. The driver is always responsible for safe and attentive driving. System effectiveness depends on many factors, such as vehicle maintenance, weather, and road conditions. See Owner's Manual for complete details on system operation and 4 Maximum towing capacity varies by trim level. Trailer brakes may be needed. See your retailer for details. 5 The glass information listed represents calculated reference values and may not represent actual values determined by testing. 6 All SiriusXM services require a subscription, sold separately by SiriusXM after the trial period. Your SiriusXM service will automatically stop at the end of your trial unless you decide to subscribe. If you decide to continue service, the subscription plan chosen will automatically renew and be charged according to your chosen payment method at the then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement & Privacy Policy at www.siriusxm.com for full terms and how to cancel, which includes online methods or calling 1-866-635-2349. Available in the 48 contiguous United States, D.C., and Puerto Rico (with coverage limits and capable receiver). Visit http://www.siriusxm.com/FAQS for most current service area information. Availability of some services and features is subject to device capabilities and location restrictions. All fees, content and features are subject to change. SiriusXM, Pandora and all related logos are trademarks of Sirius XM Radio Inc. and its respective subsidiaries. 7 Activation and required subscription sold separately. Includes trial subscription. See your retailer for details. 8 Internet access is purchased separately through AT&T with monthly, per gigabyte, and unlimited data options available. Existing AT&T customers have the option to add an additional line to their AT&T Mobile Share plan. 9 Automatic Emergency Steering is a system designed to assist the driver. It is not a substitute for safe and attentive driving. Automatic Emergency Steering works in conjunction with and after Pre-Collision Braking has been activated by providing steering support at speeds lower than 50 mph to try and help avoid a collision. See Owner's Manual for complete details, including important system limitations. Availability varies by trim level. 10 DriverFocus is a driver recognition technology designed to alert the driver if their attention to the road wavers or if the driver's face appears to turn away. The driver is always responsible for safe and attentive driving. System effectiveness may be affected by articles of clothing worn on the head or face. See Owner's Manual for complete details on system operations and limitations.

11 Lane Change Assist monitors the area of an indicated lane change and provides steering assist to perform the change if the system determines it is safe to do so. It is

HEV Battery and Performance Warranties

not a substitute for safe and attentive driving

| during a lane change or reversing and are not a substitute for safe and attentive driving. |
|---|
| 13 Reverse Automatic Braking is a system designed to assist the driver by detecting objects to help avoid a possible collision when the vehicle is moving in a reverse direction. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors such as vehicle maintenance, weather and road conditions. Always exercise caution and use vehicle mirrors and Rear-Vision Camera when backing up. See Owner's Manual for complete details on system operation and limitations. |
| 14 Activation with subscription required. Includes a five-year trial subscription to MySubaru Companion services and a one-year trial subscription to MySubaru Navigator. MySubaru Companion+ services can be purchased as a multi-year package with annual or monthly renewals after the package period. A credit card on file will be required for specific packages and for renewal purposes. Features and availability vary by vehicle and trim level. May not be available in all states. See your retailer for details. |
| 15 The Supplemental Restraint System (SRS) (airbags) affords the driver and the front passenger additional protection in moderate to severe frontal and side-impact collisions, and outboard 2nd-row passengers additional protection in moderate to severe side-impact collisions. This system provides supplemental protection only, and seat belts must be worn in order to avoid injuries to out-of-position occupants upon bag deployment and to provide the best combined protection in a serious accident. Children should always be properly restrained in the rear seat. |
| Legal Disclaimers * MSRP does not include destination and delivery charges, tax, title, and registration fees. Destination and delivery includes handling and inland freight fees and may vary in some states. Prices, specifications, options, features, and models subject to change without notice. Select colors may be subject to an additional charge. See your retailer for more information. |
| ** EPA fuel economy estimates. Actual mileage will vary with driving conditions and your vehicle's condition. |
| *** Limited warranties are contingent on age and mileage. Whatever comes first concludes the warranty. |
| † Connected Services depend on factors outside Toyota's control, including an operative telematics device, a cellular connection, GPS signal and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Service may vary by vehicle and region. Apps and services subject to change at any time without notice. Requires app download/registration and subscription after trial (if applicable). Terms of Use apply. Data usage and charges may apply. To learn about Toyota's connected services data collection, use, sharing and retention practices, please visit toyota.com/privacyvts |
| Safety Connect: Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. |
| Remote Connect: Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote start/stop not available on manual transmission-equipped vehicles. |
| Drive Connect: Services not available in every city or roadway. |
| Service Connect: Information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration. |

| Wi-Fi Connect: Eligible vehicle and wireless service required. Wi-Fi Connect coverage and service not available everywhere. Valid in the contiguous U.S. and Alaska. Do not drive distracted. Go to att.com/solterra for terms and conditions. Up to 5 devices can be supported using in-vehicle connectivity. The Wi-Fi Connect trial begins at the time of enrollment activation and expires when 30 days or the earlier of 3GB of data is used or the 1-month period ends. Subscription required after trial. Integrated Streaming requires subscription for third-party provider services. |
|--|
| Subaru has the utmost respect for the environment and is a proud partner of Leave No Trace. Care was taken not to harm the environment when taking this photo. |
| The various Subaru house marks, logos, trademarks, and/or names used or featured are owned, registered, and/or exclusively licensed by or from Subaru Corporation or Subaru of America, Inc. |
| iPod and iPad are registered trademarks of Apple Inc.; Brembo is a registered trademark of Freni Brembo S.p.A.; Alcantara is a registered trademark of Alcantara S.p.A and Alcantara is produced by Toray Group.; Ultrasuede® is a registered trademark of Toray Industries, Inc.; TORSEN LSD® is a registered trademark of JTEKT TORSEN North America, Inc BBS is a registered trademark of BBS Kraftfahrzeugtechnik AG.; Bluetooth is a registered trademark of Bluetooth SIG, Inc.; HomeLink® and the HomeLink® house icon are registered trademarks of Gentex Corporation.; Tom Tom is a registered trademark of TomTom International BV; Aha and Harman Kardon are a registered trademarks of Harman International Industries, Inc.; Android is a trademark of Google Inc.; HD Radio is a registered trademark of iBiquity Digital Corporation.; SiriusXM and SiriusXM NavTraffic are registered trademarks of SiriusXM Satellite Radio, Inc.; iHeart is a registered trademark of Clear Channel. |
| PLEASE REVIEW THESE IMPORTANT DISCLOSURES. |
| Subaru of America, Inc. reserves the right to make changes at any time without notice or obligation to the information contained on this Internet site, prices, incentive programs, specifications, equipment, colors, materials, product illustrations and to change or discontinue models. All prices are based upon Manufacturer's Suggested Retail Prices ('MSRP') in U.S. dollars (unless otherwise indicated) and exclude taxes, title fees, licensing, options and destination charges unless specifically included. Retailers are independent businesses and are free to set their own retail prices. All information contained at this Internet site is intended for the USA market only. |
| Some vehicles shown with accessory or aftermarket equipment. |
| |
| |
| |
| |